AUTHOR INDEX TO VOLUME 45

References with (A) are to abstracts of papers presented at meetings of the Physical Society. References with (L) are to Letters to the Editor.

Abbot, C. G. Measuring energy with blackened receivers —559(A)

Abbott, R. B. and T. H. Stevens. Tone analysis and physical characteristics of violins. II—562(A); III—750(A)

Adel, Arthur. Vibrational isotope effects in three-particle systems. Part I—56

——— **and E. F. Barker.** Vibrational energy level system of the linear molecule HCN—277

Ahearn, A. J. Effect of temperature on electron field currents from thoriated tungsten—764(A)

Akeley, E. S. (see Johnson, Vivian)—128(A)

Albertson, Walter. Arc spectrum of osmium—304

——— Preliminary results on the analysis of the arc spectrum of osmium—288(A)

——— Spectrum of singly ionized europium—499(L)

——— (see Harrison, George R.)—289(A)

Allen, Mildred. Tension coefficient of resistance of the single hexagonal crystals, zinc and cadmium—757(A)

Allen, S. J. M. Scattering coefficients of x-rays at short wave-lengths—122(A)

Allison, Samuel K. Reconsideration of the selection rules for x-ray spectra—755(A)

Almy, G. M. and M. C. Watson. Band spectrum of ionized aluminum hydride—753(A), 871

Alvarez, Luis. On the interior magnetic field in iron—225(L), 566(A)

Anderson, A. B. C. and A. Goetz. Recrystallization of thin metallic layers—293(A)

Anderson, Carl D. The positron—290(A)

——— (see Millikan, Robert A.)—141

——— (see Neddermeyer, Seth H.)—498(L)

———, **R. A. Millikan, Seth Neddermeyer and William Pickering.** Mechanism of cosmic-ray counter action —352

——— **and Seth H. Neddermeyer.** Relation of the positron energy spectrum to the decay constant and to the energy of the bombarding protons—653(L)

——— **and Seth H. Neddermeyer.** Secondary photons in cosmic-ray showers—295(A)

Anderson, O. E. Hyperfine structure in the arc spectrum of lanthanum—132(A)

——— Nuclear mechanical moment of lanthanum from hyperfine structure—685

Anslow, Gladys A. Total ionization produced by electron collisions in nitrogen—750(A)

Armstrong, Alice H. (see Hudson, J. C.)—755(A)

Arvin, M. J. (see Loomis, F. W.)—753(A)

Baade, W. and F. Zwicky. Supernovae and cosmic rays—138(A)

Bacher, R. F. and S. Goudsmit. Atomic energy relations—559(A)

——— **and S. Goudsmit.** Electrostatic interaction in atoms—767(A)

——— **and R. A. Sawyer.** Isotope shift in magnesium—125(A)

Badger, Richard M. Moments of inertia and the shape of the ethylene molecule—648(L)

——— Relation between internuclear distances and bond force constants—559(A)

Balamuth, Lewis. New method for measuring elastic moduli and the variation with temperature of the principal Young's modulus of rocksalt between 78°K and 273°K—715

Balinkin, I. A. and D. A. Wells. Spectrum of rubidium in mercury arc—124(A)

Balsbaugh, J. C. Inherent power factor of air condensers and the limits of power-factor bridge measurements—286(A)

Barker, E. F. (see Adel, Arthur)—277

——— (see Fung, Lai Wing)—238

——— (see Randall, H. M.)—124(A)

——— **and Ta-You Wu.** Harmonic and combination bands in CO_2—1

Barnes, LeRoy L. Molecular ions from heated salts of some of the alkali metals—751(A)

Barnes, R. Bowling, W. S. Benedict and C. M. Lewis. Rotation spectra of NH_3 and ND_3—347(L)

Barnes, S. W. Relation between the widths of the lines and limits in the *L* Series of Au(79)—754(A)

——— (see Cuykendall, T. R.)—617

——— (see Richtmyer, F. K.)—562(A), 754(A)

Barrett, C. S. and M. Gensamer. Stress analysis by x-ray diffraction—563(A)

Bartlett, James H., Jr. Prediction of isotopes—847(L)

——— (see Brown, F. W.)—527

Barton, Henry A. and Donald W. Mueller. Detection of nuclear disintegration products—650(L)

Bateman, H. Sidelights on electromagnetic theory—721

Baud, Robert V. On a formula to determine the direction of the extraordinary ray in a uniaxial crystal, derived by a method of analytical geometry—121(A)

Beams, J. W. (see Ham, W. T.)—746(A)

——— **and L. B. Snoddy.** Acceleration of ions—287(A)

——— **and H. Trotter, Jr.** Acceleration of electrons to high energies—849(L)

Beans, H. T. (see Dingwall, Andrew)—128(A)

Bearden, J. A. Wilson cloud chamber with an increased time of sensitivity—758(A)
——— (see Lyford, Dorothea)—743(A)
Becker, J. A. and W. H. Brattain. Thermionic work function and the slope and intercept of Richardson plots—694
Benade, J. M. (see Compton, A. H.)—294(A)
Bender, David. Rotational Raman spectrum of N_2O—732(L)
Benedict, Harris M. and H. Kersten. Effect of soft x-rays on the germination of wheat seeds—125(A)
Benedict, W. S. (see Barnes, R. Bowling)—347(L)
Bennett, Clarence E. Precise measurements of dispersion in nitrogen—200, 288(A)
Bennett, Ralph D. Incipient arcs in ionization chambers—491(L)
——— (see Compton, A. H.)—758(A)
Bennett, Willard H. Magnetically self-focussing streams—890
Berkey, Donald K. Yield of fluorescence x-rays from the *K*-shells of thirteen elements—437
Beth, Richard A. Experiment to detect photon spin—296(A)
Birge, Raymond T. (see Deming, W. Edwards)—767(A)
Bitter, Francis. On the magnetization of imperfect crystals—742(A)
Blaton, J. and H. Niewodniczański. Nature of the "forbidden" lines in the Pb I spectrum—64(L)
Bleakney, Walker. Some properties of the hydrogen isotopes as revealed by the mass-spectrograph—762(A)
——— (see Harnwell, G. P.)—117(L)
——— (see Lozier, W. Wallace)—655(L)
——— (see Smith, P. T.)—761(A)
——— and Austin J. Gould. Concentration of H^3 and O^{18} in heavy water—281(L)
Blewett, J. P. (see Smyth, H. D.)—752(A)
Bloomenthal, S. Nonmetallic conducting films—122(A)
Blue, R. W. (see Dieke, G. H.)—395
Boggs, Emily E. and Harold W. Webb. Intensity relations in hyperfine structure of optically excited mercury line λ5461—561(A)
Bonner, Lyman G. Vibrational spectrum of water vapor—496(L)
Bonner, T. W. Collisions of neutrons with atomic nuclei—601
——— Emission of neutrons from fluorine and beryllium—425(L)
——— (see Mott-Smith, L. M.)—554(L)
——— **and L. M. Mott-Smith.** Energy distribution of the neutrons from fluorine—552(L)
Bordner, E. R. (see Rank, D. H.)—566(A)
Bowen, I. S. Path of a secondary cosmic-ray charged particle in the earth's magnetic field—349
——— Spectra of chlorine, Cl III, Cl IV and Cl V—401
——— Spectrum of fluorine, F II, F III, F IV—82, 132(A)
Boyce, J. C. Extreme ultraviolet spectrum of neon—759(A)
——— Wave-length standards in the extreme ultraviolet—289(A)
Boyd, James E. Scattering of x-rays by cold-worked and by annealed beryllium—832
Bozorth, R. M. (see Haworth, F. E.)—762(A)
———, **J. F. Dillinger and G. A. Kelsall.** Magnetic material of high permeability attained by heat treatment in a magnetic field—742(A)
——— **and F. E. Haworth.** Perfection of quartz and other crystals and its relation to surface treatment—821
Bradbury, Norris E. Negative ion formation by electron attachment—287(A)
Bradley, C. D. (see Snoddy, L. B.)—432(L), 751(A)
Brady, James J. Energy distribution of photoelectrons from potassium films on silver—745(A)
Bramley, Arthur. Radioactivity induced by neutron bombardment—901(L)
Brattain, Walter H. Specific resistance of cuprous oxide—745(A)
——— (see Becker, J. A.)—694
Breit, G. (see Lowen, Irving S.)—120(L)
——— **and John A. Wheeler.** Collision of two quanta—766(A)
Brewington, G. P. Secondary structure of x-ray absorption edges from elements in certain cubic crystals—756(A)
Brickwedde, F. G. (see Scott, R. B.)—762(A)
———, **R. B. Scott, Harold C. Urey and M. H. Wahl.** Vapor pressure of deuterium—565(A)
Bridgman, P. W. Two new phenomena at very high pressure—844(L)
Brown, C. F. (see Hafstad, L. R.)—746(A)
Brown, F. W. Hyperfine structure of fluorine—289(A)
——— **and R. K. Cook.** Nuclear magnetic moment of aluminum—731(L)
——— **and J. H. Bartlett, Jr.** Hyperfine structure of fluorine—527
Bryant, E. A. (see Colwell, R. C.)—291(A)
Buckingham, S. A. Magnetostrictive phonograph reproducer with demonstrations—291(A)
Burington, Richard S. Invariants of quadrics and electrical circuit theory—429(L)
Bushkovitch, A. V. Term structure of the non-collinear triatomic molecule of type X_2Y—545

Cady, W. G. Space-charge effects in piezoelectric resonators—740(A)
Calbick, C. J. and C. J. Davisson. Electron microscope—764(A)
Caldwell, W. I. (see Lark-Horovitz, K.)—749(A)
Carlson, J. F. (see Furry, W. H.)—137(A)
Carr, L. H. *L* absorption discontinuities of bismuth—756(A)
Carr, P. H. (see Philipson, J. B.)—286(A)
——— (see Wilcox, Elizabeth)—286(A)
Carwile, Preston B. Proposed experiment for determining simultaneously the altitude, azimuth and magnitude, of an ether drift velocity—755(A)
Casselman, A. L. Infrared absorption spectrum of water, containing protium and deuterium—221(L)
Chapman, Seville. Spray electrification of liquids—135(A)
Cheng, Yee Fung. Polarization of general x-rays from thick targets—131(A)

Chrisler, V. L. Is the sound absorption coefficient of a material a constant or a variable?—749(A)
Chylinski, S. Study of ionization in nitrogen at high pressures—309
Cioffi, P. P. New high permeabilities in hydrogen-treated iron—742(A)
Clark, J. C. Absolute determination of the efficiency of production of silver $K\alpha$ x-rays as a function of voltage—134(A)
Clash, R. F., Jr. (see McKeehan, L. W.)—839(L)
Cleeton, C. E. and N. H. Williams. Electromagnetic waves of 1.1 cm wave-length and the absorption spectrum of ammonia—234
Cohen, Victor W. (see Goldsmith, H. H.)—850(L)
Cohn, Willi M. Some observations of the sky polarization during the total solar eclipses of August 31, 1932 and February 14, 1934—848(L)
Collins, G. B. and W. C. Price. Absorption of oxygen in the extreme ultraviolet—561(A)
Colwell, R. C. and E. A. Bryant. Magnetostrictive oscillation of Chladni plates—291(A)
Compton, A. H., J. M. Benade and P. G. Ledig. Further geographic studies of cosmic rays—294(A)
——— **and R. J. Stephenson.** Cosmic-ray ionization in a heavy walled chamber at high altitudes—564(A)
——— **and R. J. Stephenson.** Cosmic-ray ionization at high altitudes—441
———, **E. O. Wollan, R. D. Bennett and A. W. Simon.** Precision recording cosmic-ray meter—758(A)
Cook, R. K. (see Brown, F. W.)—731(L)
Cooke, W. T. Dependence of internal friction on magnetization in iron—742(A)
Copeland, Paul L. Secondary emission of electrons from complex targets—763(A)
——— (see Turnbull, J. C.)—763(A)
Copley, M. J. and T. E. Phipps. Surface ionization of potassium on tungsten—344(L)
Cox, Everett F. Gamma-ray ionization in several gases as a function of pressure and collecting field—503
Craig, Palmer H. Laboratory applications of kathetrons—563(A)
Crane, H. R. (see Lauritsen, C. C.)—63(L), 345(L), 493(L), 550(L)
——— **and C. C. Lauritsen.** Disintegration of beryllium by deutons—226(L)
——— **and C. C. Lauritsen.** Further experiments with artificially produced radioactive substances—497(L)
——— **and C. C. Lauritsen.** Radioactivity from carbon and boron oxide bombarded with deutons and the conversion of positrons into radiation—430(L)
——— **and C. C. Lauritsen.** Radioactivity produced by artificially accelerated particles—746(A)
———, **C. C. Lauritsen and A. Soltan.** Artificial production of neutrons—507
Crary, A. P. (see Ewing, Maurice)—749(A)
——— **and Maurice Ewing.** Propagation of elastic waves in Ice. Part II—749(A)
Cravath, Austin M. Motion of electrons near a plane photoelectrode in the presence of a gas—138(A)
Crawford, F. H. and T. Jorgensen, Jr. L-uncoupling in the LiH molecule—737(A)
——— **and W. A. Shurcliff.** Band spectrum of CS—860
Crosen, R. G. (see Dingwall, Andrew)—128(A)
Cuykendall, T. R. and S. W. Barnes. Rocking-curves by transmission of the x-ray beam through calcite crystals—617

Dahl, O. (see Tuve, M. A.)—746(A), 768(A), 840(L)
Dahlstrom, R. K. (see Henderson, Jos. E.)—764(A)
Danforth, W. E., Jr. (see Swann, W. F. G.)—565(A)
Davey, Wheeler P. "Most probable" locations of the valence electrons in the carbon atom—763(A)
Davisson, C. J. (see Calbick, C. J.)—764(A)
Dawson, L. H. and E. O. Hulburt. Absorption of water for wave-lengths from 4400 to 2000A—757(A)
De Benedetti, Sergio. Absorption measurements on the cosmic rays at 11° 30′ geomagnetic latitude and 2370 meters elevation—214(L)
Dehlinger, Walter. Space charge grid tube with variable mu grid—563(A)
Deming, Lola S. (see Deming, W. Edwards)—109
——— (see Maxwell, Louis R.)—293(A)
Deming, W. Edwards and Raymond T. Birge. Some important statistical relations—767(A)
——— **and Lola S. Deming.** Some physical properties of compressed gases. IV. The entropies of nitrogen, carbon monoxide and hydrogen—109
Denison, G. H. Attempt to find neutron-like particles accompanying β-ray emission—557(L)
Dershem, Elmer. K x-ray absorption of light elements—768(A)
——— Shielded filament x-ray tube—756(A)
Dickinson, Hobart C. Econodynamics—741(A)
Dieke, G. H. and R. W. Blue. $^1\Pi \rightarrow {}^1\Delta$ band of NH and the corresponding ND band—395
——— **and G. B. Kistiakowsky.** Structure of the ultraviolet absorption spectrum of formaldehyde. I—4
Dillinger, J. F. (see Bozorth, R. M.)—742(A)
Dingwall, Andrew, R. G. Crosen and H. T. Beans. Improved technique for the determination of transmittancy by means of the Hilger rotating sector-photometer—128(A)
Dobbie, J. C. Note on the ionization potential of Fe II—76
Duffendack, O. S., R. W. Revans and A. S. Roy. Temperatures indicated by intensity distributions in band spectra—807
Dunning, John R. Emission and scattering of neutrons—586
——— **and G. B. Pegram.** Neutron emission—295(A)
——— **and G. B. Pegram.** Scattering of neutrons by $H^1{}_2O$, $H^2{}_2O$, paraffin, Li, B and C and the production of radioactive nuclei by neutrons found by Fermi—768(A)
Duveneck, F. B. (see Newell, R. R.)—135(A)

Earls, L. T. and R. A. Sawyer. On the spectrum of singly ionized lead—748(A)
Easley, M. A. (see Forsythe, W. E.)—123(A), 127(A), 740(A)

Eaton, B. G. Relative probabilities of the ionization of K and L. Electrons of equal ionization energy—131(A)
Eaton, William W. Segregation of polonium in bismuth crystal—647(L)
Eckart, Carl. Analysis of the cosmic-ray absorption curve—851
——— Influence of the ionization chamber on the form of the cosmic-ray depth-ionization curve—451
Eisenhart, Luther Pfahler. Separable systems in Euclidean 3-space—427(L)
Ellis, Joseph W. and Hans O. Kneser. Electronic and vibrational absorption in O_4 and O_2 molecules—133(A)
——— **and Barthold W. Sorge.** Infrared absorption spectrum of heavy water—757(A)
Ellwood, W. B. Magnetic hysteresis at low flux densities—743(A)
Emslie, A. G. Scattering of electrons by stibnite and galena—43
Epstein, Paul S. Maximum range of cosmic rays—136(A)
Estermann, I. and O. Stern. Magnetic moment of the deuton—761(A)
Evans, Robley D. Measurement of natural alpha-particles ejected from solids—29, 136(A)
——— Nature of statistical fluctuations—137(A)
——— Radioactive radiations from the surfaces of solids and the measurement of the thorium content of rocks—38
——— **and H. Victor Neher.** Nature of statistical fluctuations with applications to cosmic rays—144
——— **and Howel Williams.** Radium content of the lavas of the Lassen Volcanic National Park, California—137(A)
Ewing, Maurice (see Crary, A. P.)—749(A)
———, **A. P. Crary and A. M. Thorne, Jr.** Propagation of elastic waves in ice. Part I—749(A)

Failla, G. Ionization in air and the biological effects of gamma-rays—564(A)
Fankuchen, I. Crystal structure of ammonium uranyl acetate—563(A)
Feenberg, E. Interaction between neutrons and the mass of the neutron—649(L)
Finkelnburg, Wolfgang. Continuous electron radiation in gas discharges—341(L)
——— Dissociation, excitation and emission in condensed sparks at high pressure—133(A)
Fitzgerald, Sister M. Ambrosia, I.H.M., and R. A. Sawyer. 53 Electron spectra of caesium and barium: Cs III and Ba IV—748(A)
Focke, Alfred B. Segregation of polonium in a bismuth crystal—219(L), 743(A)
——— (see Goetz, Alexander)—170, 136(A)
Foote, Paul D. Industrial physics—290(A)
Forbes, J. E. (see Müller, Hans)—736(A)
Forsythe, W. E. Fundamental principles—559(A)
——— **and M. A. Easley.** Rotating flashometer—127(A)
——— **and M. A. Easley.** Spectral distribution of the photo-flash lamp—123(A)
——— **and M. A. Easley.** Time constants of tungsten lamps—740(A)
Foster, B. E. Ratio of fluorescence yields of the L_{11} and L_{22} sub-series of lead—130(A)
Found, Clifton G. New method of investigating thermionic cathodes—519
Franck, James. Hydrogen in palladium—290(A)
——— **and R. W. Wood.** Ultraviolet absorption of heavy water vapor—667
Frank, N. H. Teaching of elementary physics in engineering schools—738(A)
Franklin, Dorothy A. (see Laird, Elizabeth R.)—738(A)
Fredrickson, W. R. and Martin E. Hogan, Jr. Ultraviolet bands of beryllium chloride—222(L)
Froman, Darol K. Deuterium and x-ray absorption—731(L)
Fung, Lai Wing and E. F. Barker. Infrared absorption spectra of phosphine—238
Furry, W. H. and J. F. Carlson. Production of high energy electron pairs—137(A)
——— **and J. R. Oppenheimer.** On the limitations of the theory of the positron—903(L)
——— **and J. R. Oppenheimer.** On the theory of the electron and positive—245, 343(L)
Fussell, Lewis, Jr., and Thomas H. Johnson. Vacuum tube characteristics in relation to the selection of coincident pulses—294(A)

Gagge, A. P. Electron scattering in mercury vapor—288(A)
Gamow, G. Negative protons and nuclear structure—728(L)
Gensamer, M. (see Barrett, C. S.)—563(A)
Germer, L. H. Electron diffraction and the imperfection of crystal surfaces—293(A)
Getting, Ivan A. Accommodation coefficient and the fraction of current carried by ions in a low voltage arc—788
Gibbs, R. C. (see Ruedy, J. R.)—747(A)
——— (see Shaw, R. W.)—124(A)
——— (see Williams, R. C.)—475, 491(L), 566(A)
——— **and G. K. Schoepfle.** Some additional terms in the spectrum of La III—747(A)
——— **and R. C. Williams.** "Doublet" intervals for $H^1\alpha$ and $H^2\alpha$—221(L)
Gibson, G. E. and A. Macfarlane. Absorption spectrum of diatomic arsenic—899(L)
Gibson, K. S. Visual measurements (spectrophotometry)—559(A)
Gilbert, W. P. Some higher terms in the Ag II spectrum—747(A)
Gingrich, N. S. and B. E. Warren. Interpretation of x-ray diffraction curves of a fluid from a gaseous to a liquid state—292(A)
——— **and B. E. Warren.** Relation between amorphous and crystalline scattering and its application to crystal analysis—762(A)
Gleason, Paul R. Failure of Talbot's law for barrier-layer photo-cells—745(A)
Goetz, Alexander. About the origin of the mosaic structure in metal crystals—138(A)
——— About the production of "colloidal single crystals"—282(L)
——— Group phenomena in metal crystals—293(A)
——— (see Anderson, A. B. C.)—293(A)

——— **and Alfred B. Focke.** Crystaldiamagnetism of bismuth crystals—170
——— **and A. B. Focke.** Crystaldiamagnetism of single-crystalline solid solutions of Bi—136(A)
Goldsmith, H. H. and Victor W. Cohen. Mass of the neutron from the nuclear reaction $H^2+H^2 \rightarrow He^3+n^1$—850(L)
Goucher, F. S. New mechanical model for hysteresis—743(A)
Goudsmit, S. (see Bacher, R. F.)—559(A), 767(A)
Gould, Austin J. (see Bleakney, Walker)—281(L)
Grace, Norman S. and Kenneth R. More. Isotope displacement and hyperfine structure in the arc spectra of chromium, molybdenum and tungsten—166
Gray, D. E. (see Green, J. B.)—273
Green, J. B. and D. E. Gray. Paschen-back effect. I. *L–S* coupling; the $^3P^3$ *D* multiplets of Zn and Cd—273
Grenko, J. D. (see Hoard, J. L.)—135(A)
Grinfeld, Rafael (see Jenkins, F. A.)—133(A), 229
Gunn, Ross. Azimuthal effect of cosmic rays—900(L)
——— Maintenance of the earth's electrical charge by electrical rectification in the earth's lower atmosphere—291(A)
——— On the origin and maintenance of the sun's electric field—750(A)

Hackney, A. W. (see Newell, R. R.)—135(A)
Hafstad, L. R. (see Tuve, M. A.)—651(L), 746(A), 768(A), 840(L)
——— **and M. A. Tuve.** Artificial radioactivity using carbon targets—902(L)
——— **and M. A. Tuve.** Some observations on the induced radioactivity which follows bombardment of targets by deuterium ions—767(A)
———, **M. A. Tuve and C. F. Brown.** Gamma-ray emission of various targets under bombardment by deuterium ions—746(A)
Hahn, T. M. Absorption of monochromatic x-rays of short wave-length—127(A)
Hall, Harvey. Photoelectric effect for high energy quanta—620
——— On the relativistic photoelectric effect—216(L)
Ham, W. R. Diffusion of hydrogen through palladium and through palladium-nickel double layers—741(A)
Ham, W. T. and J. W. Beams. Acceleration of protons by electric impulses on transmission lines—746(A)
Hanson, Alvin W. Elastic behavior and elastic constants of zinc single crystals—324
Hardy, James D. Device for the absolute measurement of radiation intensity—740(A)
Harnwell, G. P. (see Van Voorhis, S. N.)—492(L)
——— **and Walker Bleakney.** Relative abundance of the lithium isotopes—117(L)
———, **H. D. Smyth, S. N. Van Voorhis and J. B. H. Kuper.** Production of $_1H^3$ by a canal-ray discharge in deuterium—655(L), 769(A)
Harris, Louis. Thermocouples for the measurement of small intensities of radiations—635
——— (see Johnson, Ellis A.)—288(A), 630
——— (see Luhr, Overton)—843(L)
Harris, Sidon. On the possibility of a secondary structure in calcite—646(L)
Harrison, George R. Automatic comparator and wave-length reducer for spectrograms—760(A)
——— **and Walter Albertson.** Arc and spark spectra of cerium—289(A)
Harvey, G. G. On the scattering of x-rays from nitrogen at small angles and high pressure—848(L)
Haupt, Walter H. Photoelastic method of stress evaluation in structures involving two parallel systems of plane stresses—122(A)
Haworth, F. E. (see Bozorth, R. M.)—821
——— **and R. M. Bozorth.** Perfection of quartz crystals—762(A)
Hazen, H. L. Servo-mechanisms—286(A)
Heaps, C. W. Discontinuities of resistance associated with the Barkhausen effect—320
Hedberg, Carl (see Stearns, J. C.)—294(A)
Hedenberg, N. A. (see Smith, K. K.)—122(A)
Henderson, G. H. Pleochroic haloes and the age of minerals—216(L)
Henderson, Jos. E. Two-stage oil diffusion pump—768(A)
——— **and R. K. Dahlstrom.** Effect of a current through the emitter upon the energy distribution of field current electrons—764(A)
Henderson, L. J. On the difference between physics and physiology—738(A)
Henderson, Malcolm C. (see Lewis, Gilbert N.)—242, 497(L)
———, **M. Stanley Livingston and Ernest O. Lawrence.** Artificial radioactivity produced by deuton bombardment—428(L)
Heydenburg, N. P. Influence of the Stark effect on the fine structure of the Balmer lines—759(A)
Heyroth, Francis F. and John R. Loofbourow. Lethal action of radiant energy on living cells—126(A)
——— **and John R. Loofbourow.** Ultraviolet absorption spectra of certain compounds derived from living cells—126(A)
Hickman, R. W. Investigation of an alternating-current method of determining critical potentials—287(A)
Hirsh, F. R., Jr., and F. K. Richtmyer. Change in relative intensity of the satellites of $L\alpha$ in the atomic number range 47 to 52—754(A)
Hoard, J. L. and J. D. Grenko. Crystal structure of cadmium hydroxychloride, CdOHCl—135(A)
Hoecker, Frank E. Dielectric behavior of dilute binary solutions—741(A)
Hoffmann, Banesh. Collision problems and the conservation laws—734(L)
——— Modification of Levi-Civita's wave equation—289(A)
Hogan, Martin E., Jr. (see Fredrickson, W. R.)—222(L)
Houston, William V. New method of measuring doublet separations with a Fabry-Perot interferometer—132(A)
——— (see Kinsler, L. E.)—104, 134(A)
——— **and Y. M. Hsieh.** Doublet separations of the Balmer lines—132(A)
——— **and Y. M. Hsieh.** Fine structure of the Balmer lines—263
Hsieh, Y. M. (see Houston, W. V.)—132(A), 263
Hubbard, J. C. (see Swanson, J. Chester)—291(A)

Hudson, J. C., H. G. Vogt and Alice H. Armstrong. *K* series spectrum of thorium—755(A)
Hughes, A. L. (see Stephens, W. E.)—123(A)
——— **and G. E. M. Jauncey.** On collisions between photons—217(L)
——— **and G. E. M. Jauncey.** Radiation from the mutual annihilation of protons and electrons—217(L)
——— **and J. H. McMillen.** Electron scattering in methane, ethylene and acetylene—123(A)
Hulburt, E. O. Polarization of light at sea—285(A)
——— (see Dawson, L. H.)—757(A)
Hull, Albert W. Science of sealing metals to glass—285(A)
Hull, G. F. Concerning the possibility of measuring photon spin—737(A)
——— Discussion of experiments on the time-lag in the magneto-optic effect—738(A)

Inglis, David R. On the distribution of ferromagnetism among the metals—128(A)
——— On the magnetic and gyromagnetic properties of pyrrhotite—118(L)
——— **and A. Landé.** Magnetic moment of the neutron—842(L)

Jackson, Wilfrid J. Note on the ratio of the thermal coefficient of expansion to the specific heat at constant pressure for tungsten—285(A)
James, Hubert M. Wave-mechanical treatment of Li_2—737(A)
Jauncey, G. E. M. (see Hughes, A. L.)—217(L)
Jenkins, F. A. and Rafael Grinfeld. Spectrum of magnesium fluoride—133(A), 229
Jensen, J. C. Branching of lightning and the polarity of thunderclouds—296(A)
Jeppesen, C. Rulon. Bands in the extreme ultraviolet emission spectrum of the H^1H^2 molecule—480
Jesse, William P. X-ray determination of the chemical composition of oxide-coated cathodes—563(A)
Joffe, Joseph. Nuclear spin of sodium—468
Johnson, Ellis A. Measurement of temperature of sound fields—641
——— **and Louis Harris.** Disintegration of sputtered deposits—288(A), 630
Johnson, Thomas H. Coincidence counter studies of the corpuscular component of the cosmic radiation—569
——— Directional measurements of the cosmic radiation and their significance—294(A)
——— What fraction of the primary cosmic radiation is positive?—758(A)
——— (see Fussell, Lewis, Jr.)—294(A)
——— (see Stevenson, E. C.)—758(A)
Johnson, Vivian and E. S. Akeley. Possible modifications of the Lorentz-Maxwell field equations—128(A)
Johnston, Helen (see Murphy, G. M.)—550(L), 761(A)
Johnston, Herrick L. Large electronic isotope effects in molecular spectra—79
——— (see Knauss, H. P.)—124(A)
Jones, H., N. F. Mott and H. W. B. Skinner. Theory of the form of the x-ray emission bands of metals—379
Joos, Georg. Note on the repetition of the Michelson-Morley experiment—114(L)
Jordahl, O. M. Effect of crystalline electric fields on the paramagnetic susceptibility of cupric salts—87
Jordan, Edward B. Elastic scattering of high velocity electrons by mercury atoms and the agreement with Mott's theory—47, 136(A)
Jorgensen, T., Jr. (see Crawford, F. H.)—737(A)

Kaplan, Joseph. Active nitrogen—138(A)
——— Active nitrogen and the auroral spectrum—671
——— Band spectrum of nitrogen—133(A)
——— New band system in nitrogen—675, 757(A); Addition and correction—898(L)
Kassel, Louis S. and C. W. Montgomery. Vibrations and internal rotation of a chain of four atoms—766(A)
Kaufman, Sidney. Faint lines in the *L* spectrum of the elements 73 Ta to 90 Th. I—385; 73 Ta to 83 Bi. II—613
——— **and F. K. Richtmyer.** New satellites of the x-ray line $L\beta_2$—562(A)
Kellogg, J. M. B. (see Rabi, I. I.)—761(A), 769(A)
Kelsall, G. A. (see Bozorth, R. M.)—742(A)
Kennelly, A. E. Recent actions of the International Electrotechnical Commission in reference to electrical units—768(A)
Kersten, H. (see Benedict, Harris M.)—125(A)
Ketcham, Henry C. (see Shaw, R. William)—753(A)
Kimball, G. E. and G. H. Shortley. Numerical solution of eigenvalue problems in any number of dimensions—560(A)
——— **and G. H. Shortley.** Numerical solution of Schrödinger's equation—815
King, Allen. Further studies on the double refraction of interfacial layers of the normal aliphatic acids—562(A)
Kinsler, L. E. and W. V. Houston. Anomalies in the Zeeman effect of helium—134(A)
——— **and W. V. Houston.** Value of e/m from the Zeeman effect—104, 134(A)
Kirkpatrick, Paul (see Ross, P. A.)—134(A), 223(L)
——— (see Pockman, L. T.)—131(A)
——— **and P. A. Ross.** Confirmation of crystal wavelength measurements and determination of $h/e^{4/3}$—454
——— **and P. A. Ross.** Determination of h by x-rays—135(A)
Kirkwood, John G. Quantum statistics of almost classical assemblies—116(L)
Kistiakowsky, G. B. (see Dieke, G. H.)—4
Klabunde, W. and T. E. Phipps. Stern-Gerlach experiment with iron—59
Knauss, H. P. and R. V. Zumstein. Double-coated Schumann films—124(A)
———, **H. M. Strong and H. L. Johnston.** Search for TiO isotope bands—124(A)
Kneser, Hans O. (see Ellis, Joseph W.)—133(A)
Knipp, Chas. T. Recovery of activity after heating as revealed in a Wilson expansion chamber—744(A)
Koller, L. R. Measuring energy with photoelectric tube—559(A)
Kolthoff, I. M. and Charles Rosenblum. Free mobility of lead ions in amicronic crystals of lead sulfate—341(L)
Komar, A. and W. Obukhoff. Multiple Laue-spots from aluminum crystals—646(L)

Koontz, Philip G. (see Watson, William W.)—561(A)
Krishnan, K. S. Large artificial crystals of graphite—115(L)
Kruger, P. Gerald and W. E. Shoupp. Ionization potentials of Ge V, As VI, Se VII and Sb VI, Te VII—759(A)
Kuper, J. B. H. (see Harnwell, G. P.)—655(L), 769(A)
——— (see Van Voorhis, S. N.)—492(L)
Kurie, Franz N. D. New mode of disintegration induced by neutrons—904(L)
Kurtz, Henry. Methods of obtaining spectral radiation—559(A)
Kusch, P. and F. W. Loomis. Band spectrum of caesium—752(A)

Ladenburg, Rudolf. Mass of the neutron and the stability of heavy hydrogen—224(L); Errata—495(L)
Laird, Elizabeth R. and Dorothy A. Franklin. Raman spectrum of sodium nitrate, sodium acetate and acetic acid—738(A)
Lamar, E. S. and Overton Luhr. Convenient proton source—287(A)
——— **and Overton Luhr.** Proton currents from a low voltage arc—745(A)
Lanczos, Cornelius. New transformation theory of linear canonical equations—560(A)
Landé, A. (see Inglis, D. R.)—842(L)
Lane, C. T. Magnetic properties of Rochelle salt—66(L)
——— Magneto-resistance of bismuth films at low temperature—733(L)
Langer, R. M. Excitation and disintegration of protons and the neutret—495(L)
——— Interaction between neutrons and protons—137(A)
——— Mass of the neutron—137(A)
——— Theory of the origin of cosmic radiation—138(A)
Laporte, Otto. On spinors and their significance in modern physics—126(A)
Lariviere Stewart, R. Insulating films formed under electron and ion bombardment—488
Lark-Horovitz, K. and W. I. Caldwell. X-ray studies of the wood used in violins—749(A)
———, **E. M. Purcell and H. J. Yearian.** Electron diffraction from vacuum-sublimated layers—123(A)
Larsen, K. D. (see Rank, D. H.)—566(A)
Lauritsen, Charles C. (see Crane, H. R.)—226(L), 430(L), 497(L), 507, 746(A)
——— (see Read, John)—433
——— **and H. R. Crane.** Disintegration of boron by deutons and by protons—493(L)
——— **and H. R. Crane.** Gamma-rays from carbon bombarded with deutons—345(L)
——— **and H. R. Crane.** Gamma-rays from lithium bombarded with protons—63(L)
——— **and H. R. Crane.** Transmutation of lithium by deutons and its bearing on the mass of the neutron—550(L)
Lawrence, Ernest O. (see Henderson, Malcolm C.)—428(L)
——— (see Lewis, Gilbert N.)—242, 497(L)
——— **and M. Stanley Livingston.** Emission of protons and neutrons from various targets bombarded by three million volt deutons—220(L)
——— **and M. Stanley Livingston.** Multiple acceleration of ions to very high speeds—608
Ledig, P. G. (see Compton, A. H.)—294(A)
LeGalley, Donald P. (see Locher, Gordon L.)—292(A)
Lewis, C. M. (see Barnes, R. Bowling)—347(L)
Lewis, Gilbert N., M. Stanley Livingston, Malcolm C. Henderson and Ernest O. Lawrence. Disintegration of deutons by high speed protons and the instability of the deuton—242
———, **M. S. Livingston, M. C. Henderson and E. O. Lawrence.** On the hypothesis of the instability of the deuton—497(L)
Libby, W. F. Beta-radioactivity of neodymium—845(L)
Linder, Ernest G. Improved magnetron oscillator for the generation of microwaves—656(L)
Lindsay, R. B. Elastic wave analogies of the motion of electrons in force fields—560(A)
——— (see White, F. E.)—560(A)
Livingston, M. Stanley (see Henderson, Malcolm C.)—428(L)
——— (see Lawrence, Ernest O.)—220(L), 608
——— (see Lewis, Gilbert N.)—242, 497(L)
Locher, Gordon L. Neutrons of high energy from cosmic-ray bursts in aluminum—296(A)
——— **and Donald P. LeGalley.** Measurement of absolute x-ray intensities and absolute sensitivity of x-ray film with a Geiger-Müller counter—292(A)
Loofbourow, John R. (see Heyroth, Francis F.)—126(A)
Loomis, F. W. (see Kusch, P.)—752(A)
——— (see Watson, T. F.)—753(A)
——— **and M. J. Arvin.** Band spectrum of NaK—753(A)
——— **and T. F. Watson.** New band system of tin oxide—805
Lowan, Arnold N. Note on the thermal history of the earth—899(L)
Lowen, Irving S. and G. Breit. Polarization of fluorescence radiation—120(L)
Lowry, E. F. (see Millis, W. T.)—764(A)
Lozier, W. Wallace. Dissociation energy of CO and the electron affinity of O—752(A)
——— Heat of dissociation of N_2—840(L)
——— (see Smith, P. T.)—761(A)
———, **Philip T. Smith and Walker Bleakney.** H^3 in heavy hydrogen—655(L)
Luhr, Overton (see Lamar, E. S.)—287(A), 745(A)
——— **and Louis Harris.** Mass-spectrograph determination of the relative abundance of heavy hydrogen in a sample—843(L)
Luten, Daniel B., Jr. Refractive index of H^2H^2O; the refractive index and density of solutions of H^2H^2O in H^1H^1O—161
Lyford, Dorothea and J. A. Bearden. Radioactivity of samarium, and "columnar ionization"—743(A)

Macfarlane, A. (see Gibson, G. E.)—899(L)
Mais, Walter H. Scattering of a beam of potassium atoms in various gases—773
——— **and I. I. Rabi.** Small angle scattering of potassium atoms—565(A)

Margenau, Henry. Possible models of an electrostatic neutron—559(A)
Maxfield, Frederick A. and Arthur E. Ruark. X-ray levels of radioactive elements with applications to beta- and gamma-ray spectra—744(A)
Maxwell, Louis R., V. M. Mosley and Lola S. Deming. Electron diffraction by the oxides of nitrogen—293(A)
McCay, M. S. (see Stuhlman, Otto, Jr.)—750(A)
McFarlan, Ronald Lyman. Rotation of the plane of polarization of beam of x-rays—292(A)
McKeehan, L. W. and R. F. Clash, Jr. Directions of discontinuous changes of magnetization in a rotating monocrystal of silicon iron—839(L)
——— **and J. W. Shih.** New magnetometer for crystal ferromagnetism and its application to iron-cobalt alloy crystals—742(A)
McKellar, Andrew. On the relative abundance of the silicon isotopes—761(A)
McLeod, J. H. Absorption spectrum of the iodine atom—289(A), 802
McMillan, Edwin. Hyperfine structure in the solar spectrum—134(A)
McMillen, J. H. (see Hughes, A. L.)—123(A)
McNish, A. G. (see Wait, G. R.)—750(A)
McPherson, Anna I. Doppler displacements in the spectrum of hydrogen canal rays—485
Melvin, Eugene H. and Oliver R. Wulf. Ultraviolet band spectrum of N_2O_3—751(A)
Miller, Dayton C. Comments on Dr. Georg Joos's criticism of the ether-drift experiment—114(L)
Miller, F. M. (see Ufford, C. W.)—759(A)
Millikan, Robert A. (see Anderson, Carl D.)—352
———, **Carl D. Anderson and H. Victor Neher.** Three types of cosmic-ray fluctuations and their significance—141
——— **and Victor Neher.** Effect of latitude on cosmic-ray intensities both at sea level and at very high altitudes—757(A)
Millis, W. T. and E. F. Lowry. Some observations on the radiation characteristics of oxide cathodes—764(A)
Mimno, Harry R. and Pao H. Wang. Progress report on Kennelly-Heaviside layer measurements—291(A)
Mitchell, Allan C. G. and Edgar J. Murphy. Mean life of the 7 $^3S^1$ state of mercury from polarization measurements on the visible triplet—759(A)
Mohler, F. L. and L. S. Taylor. Ionization of liquid carbon disulphide by x-rays—762(A)
Mohler, Nora M. Color of smoky quartz—743(A)
Montgomery, C. G. Possible explanation of the frequency distribution of sizes of Hoffmann Stösse—62(L), 294(A)
Montgomery, C. W. (see Kassel, Louis S.)—766(A)
Mookherjee, Asutosh. Orientation of the CO_3 groups in ammonium bicarbonate crystal—844(L)
Mooney, R. C. L. Configuration of the triiodide group in ammonium triiodide—755(A)
Moore, K. H. Precipitation hardening and secondary structure—296(A)
More, Kenneth R. Isotope displacement in the arc spectrum of tungsten—132(A)
——— (see Grace, Norman S.)—166
Mosley, V. M. (see Maxwell, Louis R.)—293(A)
Mott, N. F. (see Jones, H.)—379
Mott-Smith, L. M. (see Bonner, T. W.)—552(L)
——— **and T. W. Bonner.** Energy distribution of neutrons from boron—554(L)
Mueller, Donald W. (see Barton, Henry A.)—650(L)
Mueller, George J. Distribution of initial velocities of positive ions from tungsten—314, 295(A)
——— Integrating α-ray photometer for x-ray crystal analysis—762(A)
Müller, Hans. Permanent polarization of Rochelle Salt—736(A)
——— **and J. E. Forbes.** Dielectric properties of Rochelle salt—736(A)
Murdock, Carleton C. Multiple Laue spots—117(L)
Murphy, Edgar J. (see Mitchell, Allan C. G.)—759(A)
Murphy, G. M. and Helen Johnston. Nuclear spin of deuterium—550(L), 761(A)

Naudé, S. M. Absorption spectrum of diatomic antimony (Sb_2)—280(L)
Neddermeyer, Seth H. (see Anderson, Carl D.)—295(A), 352, 653(L)
——— **and Carl D. Anderson.** Energy spectra of positrons ejected by artificially stimulated radioactive substances—498(L)
Nedelsky, Leo and J. R. Oppenheimer. Production of positives by nuclear gamma-rays—136(A); errata—283(L)
Neher, H. Victor (see Evans, Robley D.)—144
——— (see Millikan, Robert A.)—140, 757(A)
Newell, R. R., F. B. Duveneck and A. W. Hackney. 400 kilovolt x-ray Tube for Therapy—135(A)
Nielsen, Harald H. Rotation in polyatomic crystals—127(A)
Niewodniczański, H. (see Blaton, J.)—64(L)
Nordsieck, Arnold. Analysis of the infrared bands of formaldehyde—133(A)
Norris, Will V. and Hilbert J. Unger. Infrared band of arsine—68(L)
Northrop, F. S. C. Material universe which is stable and compatible with the observed red-shift—737(A)
Nottingham, W. B. Electron emission from thoriated tungsten—765(A)
——— (see Reynolds, N. B.)—765(A)
Nuli, F. E. Calculation of the total probability of excitation by electron impact—560(A)

O'Brien, Brian. Measuring energy with photographic plate—559(A)
O'Bryan, H. M. Evaporation technique for highly refractory substances—288(A)
——— (see Skinner, H. W. B.)—293(A)
——— **and H. W. B. Skinner.** Characteristic x-rays from metals in the extreme ultraviolet—370
Obukhoff, W. (see Komar, A.)—646(L)
Oldenberg, O. Abnormal rotational temperature of band spectra—291(A)
——— On the determination of the temperatures of gases from the intensities of band spectra—738(A)

Oppenheimer, J. R. Theory of the electron and positive—290(A)
——— (see Furry, W. H.)—245, 343(L), 903(L)
——— (see Nedelsky, L.)—136(A), 283(L)
Osgood, Thomas H. Soft x-ray spectra of Al and Mg; wave-length measurements—753(A)
Osterberg, H. (see Roebuck, J. R.)—332

Palmer, Frederic, Jr. Method of attaching a fluorite window to glass apparatus—556(L)
Parker, Allan F. Vibrational analysis of BaCl and BeCl bands—752(A)
——— Vibrational analysis of the green BaCl bands—290(A)
Parratt, Lyman G. Widths of x-ray lines from alloy targets—364
Patten, C. G. True absorption coefficients for the elements from gold to bismuth in the neighborhood of the *L*-absorption edges—131(A), 662
Patterson, A. L. Fourier series representation of the average distribution of scattering power in crystals—763(A)
Pearsall, Anna W. Intensity of the statellites of the x-ray line $L\beta_2$—562(A)
Pearson, G. L. Low noise amplifiers—740(A)
Peckham, A. L. (see Rusk, R. D.)—751(A)
Pegram, G. B. (see Dunning, J. R.)—295(A), 768(A)
Pekeris, C. L. Rotation-vibration coupling in diatomic molecules—98
Peoples, James A., Jr. (see Slack, Francis G.)—126(A)
Philipson, J. B. and P. H. Carr. Effect of low speed electrons on silver and bismuth—286(A)
Phillips, Melba. On the inversion of doublets in alkali-like spectra—428(L)
——— Theoretical ratio of L_{II} and L_{III} x-ray absorption coefficients—132(A)
Phillips, Thomas D. Adsorption of hydrogen—215(L)
Phipps, T. E. (see Copley, M. J.)—344(L)
——— (see Klabunde, W.)—59
Pickels, E. G. Ultracentrifuge—748(A)
Pickering, William (see Anderson, Carl D.)—352
Plantinga, O. S. (see Rodden, C. J.)—280(L)
Plumley, Harold J. Isotope effect and quenching in the fluorescence of bromine—678
Pockman, L. T., Paul Kirkpatrick and D. L. Webster. X-ray line intensities in thick targets of nickel—131(A)
Poindexter, Franklin E. and Joseph S. Rosen. Effect of pressure on the refractive index of aqueous solutions of ethyl alcohol—760(A)
Pollard, Ernest. Evidence for a resonance level in the B^{10} nucleus—555(L), 746(A)
——— Indications of a simple rule relating nuclear resonance levels with atomic number—218(L)
Pool, M. L. and O. W. Prashun. Emission and absorption from $2\ ^3P_0$ metastable level in mercury—124(A)
Poole, Cyrus A. and Wilbur S. Werner. Recent developments in commercial production of super-voltage x-ray tubes and generating apparatus—756(A)
Powell, W. M. Jr. Photoelectric measurements of the transmission of fluorite in the Schumann region—154
Prashun O. W. (see Pool. M. L.)—124(A)
Price, W. C. Ultraviolet absorption of acetylene and ethylene—843(L)
——— (see Collins, G. B.)—561(A)
Purcell, E. M. (see Lark-Horovitz, K.)—123(A)

Quarles, Gilford G. Dispersion of the electro-optical Kerr effect in CO_2 in the visible region—760(A)

Rabi, I. I. (see Mais, W. H.)—565(A)
———, **J. M. B. Kellogg and J. R. Zacharias.** Magnetic moment of the deuton—769(A)
———, **J. M. B. Kellogg and J. R. Zacharias.** Magnetic moment of the proton—761(A)
Ramberg, E. G. Origin of $K\alpha$-satellites—754(A)
——— Probability of double jumps in x-ray spectra—389
Ramsay, Bertrand P. Grating interferometer—296(A)
Ramsey, W. E. (see Swann, W. F. G.)—758(A)
Randall, H. M. and E. F. Barker. Infrared spectra of acetylene containing H^2—124(A)
Rank, D. H., E. R. Bordner and K. D. Larsen. Raman spectrum of neopentyl deuteride—566(A)
Rashevsky, N. Physico-chemical theory of excitation and inhibition—125(A)
——— Physico-mathematical theory of organic form—125(A)
Razek, Joseph. Electrical device for remote indicating, recording and integrating the indications of a float type fluid meter—563(A)
Read, D. N. Rotational structure of the fourth positive bands of CO—752(A)
Read, John and Charles C. Lauritsen. Investigation of the Klein-Nishina formula for x-ray scattering in the wave-length region 50 to 20 X-units—433
Rehner, John, Jr. Widths of x-ray bands in solids—735(L)
Reimann, A. L. Surface ionization of potassium on tungsten—898(L)
Reinhart, Raymond E. Large Barkhausen discontinuities and their propagation—342(L)
——— Large Barkhausen discontinuities and their propagation in Ni-Fe alloys—420
Revans, R. S. (see Duffendack, O. S.)—807
Reynolds, N. B. and W. B. Nottingham. Thermionic work function of thoriated tungsten at zero field—765(A)
Richtmyer, F. K. (see Hirsh, F. R., Jr.)—754(A)
——— (see Kaufman, S.)—562(A)
——— **and S. W. Barnes.** On the determination of the shape, wave-length and width of an x-ray absorption limit—754(A)
——— **and S. W. Barnes.** Relative intensities of certain *L*-series x-ray lines of Au(79)—562(A)
Rodden, C. J. and O. S. Plantinga. Flame and spark-in-flame spectra of rare earths—280(L)
Roebuck, J. R. and H. Osterberg. Thermodynamic properties of helium gas—332
Rogers, Henry H. Absorption of supersonic waves in mixtures of air and carbon dioxide at different relative humidities—208
Roller, Duane and Dean Wooldridge. Photoelectric properties and electrical resistance of metallic films—119(L)

Rose, John L. Hyperfine and gross structure of Pb II for the $6s6p^2$ configuration in intermediate coupling—748(A)
Rosen, Joseph S. (see Poindexter, Franklin E.)—760(A)
Rosenblum, Charles (see Kolthoff, I. M.)—341(L)
Rosenthal, Jenny E. Vibration frequencies of symmetrical pentatomic molecules—766(A)
——— Vibrational isotope effects in polyatomic molecules. III—426(L)
——— Vibrations of tetrahedral pentatomic molecules. Part I. Potential energy. Part II. Kinetic energy and normal frequencies of vibration—538
Ross, P. A. (see Kirkpatrick, Paul)—135(A), 454
——— **and Paul Kirkpatrick.** Compton effect—134(A)
——— **and Paul Kirkpatrick.** Constant in the Compton equation—223(L)
Rossi, Bruno. Directional measurements on the cosmic rays near the geomagnetic equator—212(L)
Roy, A. S. (see Duffendack, O. S.)—807
Ruark, Arthur E. Alpha-, beta- and gamma-rays of the actinium family—564(A)
——— Alpha-particle spectra and the Geiger-Nuttall law—564(A)
——— X-ray wave-lengths from crystals and ruled gratings—744(A), 827
——— (see Maxfield, Frederick A.)—744(A)
——— (see Western, Forrest)—628, 744(A)
——— **and Forrest Western.** Radium-uranium ratio and the number of actinouranium isotopes—69
Rudberg, Erik. Inelastic scattering of electrons from metals—764(A)
Ruedy, J. E. and R. C. Gibbs. Arc spectrum of selenium—747(A)
Rumbaugh, L. H. (see Smythe, W. R.)—220(L), 724
Rusk, R. D. and A. L. Peckham. Luminosity in the mercury discharge—751(A)

Sanders, Frederick H. Measurement of the Townsend coefficients for ionization by collision—Additional data—346(L)
Sawyer, R. A. (see Bacher, R. F.)—125(A)
——— (see Earls, L. T.)—748(A)
——— (see Fitzgerald, Sister M. Ambrosia, I.H.M.)—748(A)
Saxton, Harold L. Propagation of sound and supersonic waves in gases—749(A)
Schneider, Edwin G. Note on the photographic measurement of the transmission of fluorite in the extreme ultraviolet—152
Schoepfle, G. K. Term values in the spectrum of lead V—747(A)
——— (see Gibbs, R. C.)—747(A)
Schonland, B. F. J. Penetrating radiation from thunderstorms—750(A)
Scott, R. B. (see Brickwedde, F. G.)—565(A)
———, **F. G. Brickwedde, H. C. Urey and M. H. Wahl.** Change of the vapor pressures of the hydrogen isotopes with time—762(A)
Serber, Robert. Extension of the Dirac vector model to include several configurations—461
Shaw, A. Norman. Rapid derivation of thermodynamical relations for a simple system—285(A)
Shaw, R. William and R. C. Gibbs. Hydrogen-isotope effect in the OH bands, λ3064 and λ3121—124(A)
——— **and Henry C. Ketcham.** Vibrational analysis of the hafnium oxide band spectrum—753(A)
Shelow, Elizabeth. Near infrared absorption spectrum of crystalline "Calciferol" (Vitamin D)—126(A)
Shih, J. W. (see McKeehan, L. W.)—742(A)
Shortley, G. H. (see Kimball, G. E.)—560(A), 815
Shoupp, W. E. (see Kruger, P. Gerald)—759(A)
Shurcliff, W. A. (see Crawford, F. H.)—860
Silverman, S. Reflection spectrum of quartz in the region of 9 mu—158
Simon, A. W. (see Compton, A. H.)—758(A)
Sixtus, K. J. New experiments on Bitter's powder patterns—565(A)
——— Reversal nuclei in magnetic propagation—768(A)
Skellett, A. M. Method designed for observing the solar corona without an eclipse—649(L)
Skinner, H. W. B. (see Jones, H.)—379
——— (see O'Bryan, H. M.)—370
——— **and H. M. O'Bryan.** Soft x-rays and energy states of the conduction electron—293(A)
Slack, Francis G. and James A. Peoples, Jr. Magneto-optic method of chemical analysis—126(A)
Slater, J. C. Electronic energy bands in metals—766(A), 794
Slichter, L. B. Experiments relating to the study of the electrical resistivity of the earth's crust at depth—286(A)
Smith, K. K. and N. A. Hedenberg. On the comparison of theoretical and measured Hall coefficients—122(A)
Smith, Lloyd P. Analysis of the double crystal spectrometer and the determination of x-ray line shapes—295(A)
——— Determination of x-ray line shapes by a double crystal spectrometer—754(A)
Smith, Philip T. (see Lozier, W. Wallace)—655(L)
———, **W. Wallace Lozier and Walker Bleakney.** Automatic recording mass-spectrograph—761(A)
Smith, W. O. Sorption in an ideal soil—767(A)
——— Structure of rigid gels, such as that of silicic acid—748(A)
Smyth, H. D. (see Harnwell, G. P.)—655(L), 769(A)
——— **and J. P. Blewett.** Ionization of carbon disulphide by electron impact—752(A)
Smythe, W. R. On the isotopic ratio in oxygen—299
———, **L. H. Rumbaugh and S. S. West.** High-intensity mass-spectrometer—220(L), 724
Snoddy, L. B. (see Beams, J. W.)—287(A)
——— **and C. D. Bradley.** Initial stages in spark gap discharge—751(A)
——— **and C. D. Bradley.** Method for investigating electrical breakdown processes—432(L)
Soltan, A. (see Crane, H. R.)—507
Sommerfeld, A. Concerning the thermoelectric effects of the alkalis—65(L)
Sordahl, L. O. (see Wahlin, H. B.)—764(A), 886
Sorge, Barthold W. (see Ellis, Joseph W.)—757(A)

Spangler, Ross D. Dependence of cybotactic groups on specific volume—756(A)
Spence, B. J. (see Woods, R. M.)—669
Stearns, J. C. and Carl Hedberg. Comparison of absorption coefficients of different elements for cosmic rays—294(A)
Stephens, W. E. Magnetic refocussing of electron paths—513
——— **and A. L. Hughes.** Refocussing of electron paths by means of a magnetic field—123(A)
Stephenson, R. J. (see Compton, A. H.)—441, 564(A)
Stern, O. (see Estermann, I.)—761(A)
Stevens, T. H. (see Abbott, R. B.)—562(A), 750(A)
Stevenson, E. C. and Thomas H. Johnson. Barometer effect of shower-producing and of vertical cosmic rays—758(A)
Störmer, Carl. Critical remarks on a paper by G. Lemaitre and M. S. Vallarta on cosmic radiation—835
Stranathan, J. D. Elimination of peculiarities in dielectric behavior of water vapor—741(A)
Strong, H. M. (see Knauss, H. P.)—124(A)
Strong, John. Aluminizing process for coating telescope mirrors—769(A)
——— Pure rotation spectrum of the HCl flame—769(A), 877
Stuhlman, Otto, Jr., and M. S. McCay. Intensity of the hydrogen α and β-lines as determined by the frequency of the electrical field in electrodeless discharge—750(A)
Suits, C. G. Characteristics of arcs at atmospheric pressure —751(A)
Swann, W. F. G. Cosmical electric fields—295(A)
——— **and W. E. Danforth, Jr.** Deflection of cosmic-ray secondaries in magnetized iron—565(A)
——— **and W. E. Ramsey.** Ionization spurts resulting from cosmic-ray entities—758(A)
Swanson, J. Chester with J. C. Hubbard. Pressure coefficients of acoustic velocity for nine organic liquids—291(A)
Synge, J. L. Collision problems and the conservation laws —500(L)

Taub, A. H. (see Veblen, O.)—769(A)
Taylor, L. S. (see Mohler, F. L.)—762(A)
Thibaud, Jean. Positive electrons: focussing of beams, measurement of charge-to-mass ratio, study of absorption and conversion into light—781
Thorne, A. M., Jr. (see Ewing, Maurice)—749(A)
Tousey, Richard. Graphical method for obtaining the optical constants of a medium from the reflecting powers at several angles of incidence—562(A)
Trawick, M. W. Spectrum of Mo V—289(A)
Trotter, H., Jr. (see Beams, J. W.)—849(L)
Turnbull, J. C. and Paul L. Copeland. Secondary emission of electrons from gold and aluminum—763(A)
Tuve, M. A. (see Hafstad, L. R.)—746(A), 767(A), 902(L)
——— **and L. R. Hafstad.** Emission of disintegration-particles from targets bombarded by protons and by deuterium ions at 1200 kilovolts—651(L); and O. Dahl—746(A)
———, **L. R. Hafstad and O. Dahl.** Stable hydrogen isotope of mass three—840(L)
———, **L. R. Hafstad and O. Dahl.** Technique of focussed ion-beams with cascade-tubes and electrostatic generators—768(A)

Uehling, E. A. Transport phenomena in Einstein-Bose and Fermi-Dirac gases. II—766(A)
Ufford, C. W. and F. M. Miller. Relative multiplet transition probabilities from spectroscopic stability—759(A)
Uhlenbeck, George E. Introduction to the theory of the positron—290(A)
——— (see Wu, Ta-You)—553(L)
Underwood, Newton. Photoelectric properties of the (100) and (111) faces of a single copper crystal—745(A)
Unger, Hilbert J. (see Norris, Will V.)—68(L)
Urey, Harold C. (see Brickwedde, F. G.)—565(A)
——— (see Scott, R. B.)—762(A)
——— **and M. H. Wahl.** Cascade electrolytic process for separating the hydrogen isotopes—566(A)

Valasek, Joseph. Infrared absorption by Rochelle salt crystals—654(L)
Van den Akker, J. A. On the spatial distribution of photoelectrons ejected from the atomic *K*-shell—49
Van Vleck, J. H. Concerning the tensor nature of the dielectric constant and magnetic permeability in anisotropic media—115(L)
——— Dirac vector model in complex spectra—405
Van Voorhis, S. N. (see Harnwell, G. P.)—655(L), 769(A)
———, **J. B. H. Kuper and G. P. Harnwell.** Proton source for atomic disintegration experiments—492(L)
Veblen, Oswald. Spinor analysis—127(A)
———, **J. Von Neumann and A. H. Taub.** Dirac equations in projective relativity—769(A)
Vogt, H. G. (see Hudson, J. C.)—755(A)
Von Neumann, J. (see Veblen, O.)—769(A)

Wahl, M. H. (see Brickwedde, F. G.)—565(A)
——— (see Scott, R. B.)—762(A)
——— (see Urey, Harold C.)—566(A)
Wahlin, H. B. and L. O. Sordahl. Emission of electricity from columbium—764(A)
——— **and L. O. Sordahl.** Positive and negative thermionic emission from columbium—886
Wait, G. R. and A. G. McNish. Ionization-measurements near the ground during the time of thunderstorms—750(A)
Wang, Pao H. (see Mimno, Harry R.)—291(A)
Warburton, F. W. Electric energy and waves—765(A)
——— Some aspects of electromagnetic forces and waves—123(A)
Ward, Herbert K. X-ray study of the structure of benzene, cyclohexane and their mixtures—562(A)
Warren, B. E. Atomic arrangement in vitreous SiO_2 and GeO_2—292(A)
——— Diffraction of x-rays in glass—657
——— X-ray diffraction study of carbon black—763(A)
——— (see Gingrich, N. S.)—292(A), 762(A)

Warren, Dana T. Ultraviolet absorption of iodine—561(A)
Watson, M. C. (see Almy, G. M.)—753(A), 871
Watson, T. F. (see Loomis, F. W.)—805
——— **and F. W. Loomis.** New band system of tin oxide—753(A)
Watson, William W. and Philip G. Koontz. Nitrogen molecular spectra in the vacuum ultraviolet—561(A)
Webb, Harold W. (see Boggs, Emily E.)—561(A)
Weber, E. New experiments on metallic conduction—740(A)
Webster, D. L. Current progress in x-ray physics—290(A)
——— (see Pockman, L. T.)—131(A)
Wells, D. A. (see Balinkin, I. A.)—124(A)
Werner, Wilbur S. (see Poole, Cyrus A.)—756(A)
West, S. S. (see Smythe, W. R.)—220(L), 724
Western, Forrest (see Ruark, Arthur E.)—69
——— **and Arthur E. Ruark.** Half-life of actinouranium—628, 744(A)
Wheeler, John A. Interaction between alpha-particles—746(A)
——— (see Breit, G.)—766(A)
White, F. E. and R. B. Lindsay. Indeterminacy relations in some special problems—560(A)
White, T. N. Measurement of the x-ray absorption coefficient of xenon—296(A)
Wilcox, Elizabeth and P. H. Carr. Attempts to produce relief patterns by the direct electrographic effect—286(A)
Wilhelmy, Ernst. Quadrupole lines in the Ru *K* series—754(A)
Williams, Clarke. Variation with temperature of the coefficient of thermal expansion of nickel monocrystals near the Curie point—741(A)
Williams, E. J. Nature of the high energy particles of penetrating radiation and status of ionization and radiation formulae—729(L)
Williams, Howel (see Evans, Robley D.)—137(A)
Williams, John H. Natural widths of the *L*-series lines in the x-ray spectra of elements 74 to 83—71
Williams, N. H. (see Cleeton, C. E.)—234
Williams, R. C. (see Biggs, R. C.)—221(L)
——— **and R. C. Gibbs.** Comments on the analysis of an intensity complex with special reference to that of Hα—566(A)
——— **and R. C. Gibbs.** Fine-structure analysis of $H^1\alpha$ and $H^2\alpha$—475
——— **and R. C. Gibbs.** Slight correction to the Rydberg constant for H^1—491(L)
Wills, Lawrence A. Nuclear moment of Tl—883
Wilson, E. Bright, Jr. Calculation of vibrational isotope effect in polyatomic molecules by a perturbation method—427(L)
——— Normal modes and frequencies of vibration of the regular plane hexagon model of the benzene molecule—706
Wilson, H. A. Nuclear energies of aluminum and beryllium—430(L)
Winans, J. G. Effect of heat on the intensity of mercury lines and bands—125(A)
Wissink, G. M. and Jay W. Woodrow. Detection of vitamin A by means of the magneto-optic apparatus—126(A)
Wold, P. I. On the Redward shift of the spectral lines of nebulae—559(A)
Wollan, E. O. Balanced filter method for measuring the width of the Compton modified line—755(A)
——— (see Compton, A. H.)—758(A)
Womer, R. L. Zero angle energy losses in helium—689
Wood, R. W. Raman spectrum of heavy water—297(A), 392, 565(A), 732(L)
——— (see Franck, J.)—667
Woodrow, Jay W. (see Wissink, G. M.)—126(A)
Woods, R. M. and B. J. Spence. Infrared spectrum of argon—669
Wooldridge, Dean (see Roller, Duane)—119(L)
Wu, Ta-You. Periodic unequal potential minima and torsion oscillation of molecules—66(L)
——— Remark on the energy distribution of neutrons from fluorine—846(L)
——— (see Barker, E. F.)—1
——— **and George E. Uhlenbeck.** Disintegration of Li^6 by protons and deutons—553(L)
Wulf, Oliver R. (see Melvin, Eugene H.)—751(A)

Yeagley, H. L. Apparatus for obtaining high precision supersonic data—749(A)
Yearian, H. J. (see Lark-Horovitz, K.)—123(A)
Yensen, T. D. Approach to the theoretical magnetization curve—743(A)

Zabel, R. M. Scattering of hydrogen and helium beams in mercury vapor—760(A)
——— Scattering of molecular rays in gases—287(A)
Zacharias, J. R. (see Rabi, I. I.)—761(A), 769(A)
Zachariasen, W. H. Crystal lattice of oxalic acid dihydrate—755(A)
Zumstein, R. V. (see Knauss, H. P.)—124(A)
Zwicky, F. (see Baade, W.)—138(A)
Zworykin, V. K. Electrical latent image—564(A)

ANALYTIC SUBJECT INDEX TO VOLUME 45

Absorption coefficient
Analysis of cosmic-ray absorption curve, C. Eckart—851

Absorption and reflection of light (see also **Spectra, absorption**)
Absorption by F, E. G. Schneider—152
Rochelle salt, infrared, temperature effect, J. Valasek—654(L)
By H_2O; 4400 to 2000A, L. H. Dawson, E. O. Hulburt—757(A)

Accommodation coefficient
Cathode in low voltage arc, I. A. Getting—788

Acoustics
Absorption coefficient varying with area, V. L. Chrisler—749(A)
Absorption of supersonic waves in air and CO_2, H. H. Rogers—208
Elastic waves in ice, M. Ewing, A. P. Crary, A. M. Thorne, Jr.—749(A)
Elastic waves and motion of electrons in force fields, R. B. Lindsay—560(A)
High precision supersonic data, H. L. Yeagley—749(A)
Magnetostrictive oscillation of Chladni plates, R. C. Colwell, E. A. Bryant—291(A)
Magnetostrictive phonograph reproducer, S. A. Buckingham—291(A)
Measurement of temperature of sound fields, E. A. Johnson—641
Pressure coefficients of velocity for liquids, J. C. Swanson, J. C. Hubbard—291(A)
Theoretical velocity of sound in gases, H. L. Saxton—749(A)
Tone analysis; physical characteristics of violins, R. B. Abbott, T. H. Stevens—562(A), 750 (A)
Velocity of polarized waves, A. P. Crary, M. Ewing—749(A)
X-ray studies of wood in violins, K. Lark-Horovitz, W. I. Caldwell—749(A)

Activity, chemical
Relief patterns by the direct electrographic effect, E. Wilcox, P. H. Carr—286(A)
Of Ag and Bi after electron bombardment, J. B. Philipson, P. H. Carr—286(A)

Adsorption
K on W, ionization of K, A. L. Reimann—898(L)

Afterglow
In N_2, J. Kaplan—138(A), 671

Amplifiers
Low noise amplifiers, G. L. Pearson—740(A)

Arcs (see also **Discharge of electricity in gases**)
Accommodation coefficient at cathode, I. A. Getting—788

Astrophysics
Al coating of mirrors, J. Strong—769(A)
Cosmical electric fields, W. F. G. Swann—295(A)
Hyperfine structure in solar spectrum, E. McMillan—134(A)
Red shift, explanation, P. I. Wold—559(A)
Red shift and time scale of universe, P. S. Epstein—136(A)
Stable universe compatible with red shift, F. S. C. Northrupp—757(A)
Sun's electric field; origin, R. Gunn—291(A), 750(A)
Supernovae and cosmic rays, W. Baade, F. Zwicky—138(A)

Atmospheric Electricity (see **Meterology**)

Atomic form factors
Be, cold-worked and annealed, J. E. Boyd—832

Atomic and molecular beams
Insulating films; electron and ion bombardment, R. Lariviere Stewart—488
Ionization of K on W wire, M. J. Copley, T. E. Phipps—344(L)
Scattering of H_2 and He in Hg vapor, R. M. Zabel—287(A), 760(A)
Scattering of K atoms in gases, W. H. Mais—733
Small angle scattering of K atoms, W. H. Mais, I. I. Rabi—565(A)
Stern-Gerlach experiment with Fe, W. Klabunde, T. E. Phipps—59

Atomic structure (see also **Spectra, atomic**)
Nuclear moment of Tl, L. A. Wills—883

Aurora
New bands in N_2, J. Kaplan—675
N_2 and auroral spectrum, J. Kaplan—138A, 671

Barkhausen effect (see **Magnetic properties**)

Barrier-layer photo-cells
Failure of Talbot's law, P. R. Gleason—745(A)

Biophysics
Absorption spectra of compounds derived from living cells, F. F. Heyroth, J. R. Loofbourow—126(A)
Absorption spectrum of "Calciferol" (vitamin D), E. Shelow—126(A)

Biophysics (continued)
Cr in tumors, A. Dingwall, R. G. Crosen, H. T. Beans—128(A)
Detection of vitamin A by magneto-optic apparatus, G. M. Wissink, J. W. Woodrow—126(A)
Ionization in air and γ-ray effects, G. Failla—564(A)
Lethal action of radiation on cells, F. F. Heyroth, J. R. Loofbourow—126(A)
Nerve excitation and inhibition, N. Rashevsky—125(A)
Physico-mathematical theory of organic form, N. Rashevsky—125(A)
Radiation from human body, J. D. Hardy—740(A)
Soft x-rays and the germination of wheat seeds, H. M. Benedict, H. Kersten—125(A)

Broadening of spectral lines
Widths of x-ray bands in solids, J. Rehner, Jr.—735(L)

Cathode rays
Magnetic self-focussing, W. H. Bennett—890

Collision phenomena
Collision problems and the conservation laws, B. Hoffmann—734(L)
Collisions between photons, A. L. Hughes, G. E. M. Jauncey—217(L), G. Breit, J. A. Wheeler—766(A)
And conservation laws, J. L. Synge—500(L)

Compton effect (see **X-rays, diffraction, scattering**)

Conductivity, electrical (see **Electrical conductivity; Discharge of electricity in gases**)

Constants, physical, standards
Correction to Rydberg constant, R. C. Williams, R. C. Gibbs—491(L)
Determination of $h/e^{4/3}$, P. Kirkpatrick, P. A. Ross—135(A), 454
Wave-lengths from crystals and ruled gratings, A. E. Ruark—744, 827

Cosmic radiation
Absorption coefficients of different elements, J. C. Stearns, C. Hedberg—294(A)
Absorption measurements near geomagnetic equator, E. De Benedetti—214(L)
Analysis of cosmic-ray absorption curve, C. Eckart—851
Azimuthal effect, theory, R. Gunn—900(L)
Barometer effect of shower-producing rays, E. C. Stevenson, T. H. Johnson—758(A)
Coincidence counter studies; showers, T. H. Johnson—569
Counter action; photographs of cloud chamber tracks, C. Anderson, R. A. Millikan, S. Neddermeyer, W. Pickering—352
Counting of coincident pulses, L. Fussell, Jr., T. H. Johnson—294(A)
Deflection of secondaries in magnetized Fe, W. F. G. Swann, W. E. Danforth, Jr.—565(A)
Depth-ionization curve; influence of ionization chamber, C. Eckart—451
Directional measurements, T. H. Johnson—294(A)
Directional measurements near geomagnetic equator, B. Rossi—212(L)
Fluctuations and their significance, R. A. Millikan, C. D. Anderson, H. V. Neher—141; R. D. Bennett—491(L)
Fraction of primary radiation that is positive, T. H. Johnson—758(A)
γ-ray ionization in gases at various pressures and fields, E. F. Cox—503
High altitude measurements, interpretation, A. H. Compton, R. J. Stephenson—564(A), 441
Hoffmann Stösse; origin of, C. G. Montgomery—62(L), 294(A)
Interior magnetic field in Fe, L. Alvarez—225(L), 566(A)
Ionization in N_2 at high pressures, S. Chylinski—309
Ionization spurts, W. F. G. Swann, W. E. Ramsay—758(A)
Latitude and altitude variations, A. H. Compton, J. M. Benade, P. G. Ledig—294(A)
Latitude effect, sea level, and at high altitudes, R. A. Millikan, V. Neher—757(A)
Nature of the high energy particles of penetrating radiation and status of ionization and radiation formulae, E. J. Williams—729
Nature of showers, R. D. Evans—137(A)
Neutrons from bursts in Al, G. L. Locher—296(A)
Neutrons as cause of bursts, T. W. Bonner—601
Path of secondary charged particle in earth's field, J. S. Bowen—349
Photons in showers, C. D. Anderson, S. H. Neddermeyer—295(A)
Precision recording meter, A. H. Compton, E. O. Wollan, R. D. Bennett, A. W. Simon—758(A)
Radiation from annihilation of protons and electrons, A. L. Hughes, G. E. M. Jauncey—217(L)
Red shift and maximum range, P. S. Epstein—136(A)
Statistical fluctuations, R. D. Evans, H. V. Neher—144
Supernovae as source, W. Baade, F. Zwicky—138(A)
Theory of origin, R. M. Langer—138(A)

Critical potentials (see **Potentials, critical**)

Crystal structure
Al, plastically deformed, A. Komar, W. Obukhoff—646(L)
Ammonium bicarbonate, orientation of CO_3 group, A. Mookherjee—844(L)
Of ammonium uranyl acetate, I. Fankuchen—563(A)
Amorphous and crystalline scattering; crystal analysis, N. S. Gingrich, B. E. Warren—762(A)
Be, cold-worked and annealed, J. E. Boyd—832
Of cadmium hydroxychloride, J. L. Hoard, J. D. Grenko—135(A)
Calcite, grating space, A. E. Ruark—827
Calcite, secondary structure, S. Harris—645(L)
Diffraction by C black, B. E. Warren—763(A)
Fourier series representation of scattering power in crystals, A. L. Patterson—763(A)
Of oxalic acid dihydrate, W. H. Zachariasen—755(A)
Perfection of crystals in relation to surface treatment, R. M. Bozorth, F. E. Haworth—821

Structure of vitreous SiO_2 and GeO_2, B. E. Warren—292(A)
Triiodide group in ammonium triiodide, R. C. L. Mooney—755(A)
Valence electrons in C, W. P. Davey—763(A)

Crystalline state
Artificial graphite crystals, K. S. Krishnan—115(L); A. Goetz—282(L)
Bitter's powder patterns, J. K. Sixtus—565(A)
Color of smoky quartz, N. M. Mohler—743(A)
Crystaldiamagnetism of Bi crystals, A. Goetz, A. B. Focke—136(A), 170
Crystalline electric fields and paramagnetic susceptibility of cupric salts, O. M. Jordahl—87
Dielectric constant and magnetic permeability, J. H. Van Vleck—115(L)
Elastic behavior of Zn single crystals, A. W. Hanson—324
Elastic moduli, variation with temperature, L. Balamuth—715
Elastic waves in ice, M. Ewing, A. P. Crary, A. M. Thorne, Jr.—749(A)
Electron diffraction from vacuum-sublimated layers, K. Lark-Horovitz, E. M. Purcell, H. J. Yearian—123(A)
Electron scattering by stibnite and galena, A. G. Emslie—43
Group phenomena in metal crystals, A. Goetz—293(A)
Hall coefficients, theoretical and measured, K. K. Smith, N. A. Hedenberg—122(A)
High magnetic permeability; alloys, R. M. Bozorth, J. F. Dillinger, G. A. Kelsall—742(A)
Imperfection of crystal surfaces, L. H. Germer—293(A)
Magnetic permeability of H_2-treated Fe, P. P. Cioffi—742(A)
Magnetization of imperfect crystals, F. Bitter—742(A)
Metallic films, D. Roller, D. Wooldridge—119(L)
Mobility of Pb ions in crystals of $PbSO_4$, I. M. Kolthoff, C. Rosenblum—341(L)
Multiple Laue spots, C. C. Murdock—117(L)
Origin of mosaic structure, A. Goetz—138(A)
Perfection of quartz crystals, F. E. Haworth, R. M. Bozorth—762(A)
Permanent polarization of Rochelle salt, H. Müller—736(A)
Photoelectric thresholds of (100) and (111) faces of Cu crystal, N. Underwood—745(A)
Precipitation hardening and secondary structure, K. H. Moore—296(A)
Recrystallization of thin metallic layers, A. B. C. Anderson, A. Goetz—293(A)
Rotation in polyatomic crystals, H. H. Nielsen—127(A)
Segregation of Po in Bi crystal, A. B. Focke—219(L), 743(A)
Stress analysis in metals by x-rays, C. S. Barrett, M. Gensamer—563(A)
Structure of C black, B. E. Warren—763(A)
Tension coefficient of resistance; Zn and Cd, M. Allen—757(A)
Thermal expansion of Ni, C. Williams—741(A)
Widths of K x-ray lines from alloys, L. G. Parratt—364
X-ray diffraction in glasses, B. E. Warren—657

Cybotactic state
Dependence on specific volume, R. D. Spangler—756(A)

Deutons (see **Nucleus, Disintegration of nucleus**)

Diamagnetism (see **Magnetic properties**)

Dielectric constants (see **Dielectrics and dielectric properties**)

Dielectrics and dielectric properties
Dielectric constant in anisotropic media, J. H. Van Vleck—115(L)
Dilute binary solutions, anomalous behavior, F. E. Hoecker—741(A)
Peculiarities of water vapor, J. D. Stranathan—741(A)
Properties of Rochelle salt, 24 to 40°C, H. Müller, J. E Forbes—736(A)
Rochelle salt, effect of temperature, J. Valasek—654(L)
Rochelle salt, permanent polarization, H. Müller—736(A)

Diffusion
Of H_2 through Pd, W. R. Ham—741(A)

Dimensions and dimensional analysis
Method to supplement dimensional analysis, A. E. Ruark—329(A)

Discharge of electricity in gases (see also **Electrons in gases; Spark discharge**)
Arc characteristics at atmospheric pressure, C. G. Suits—751(A)
Dissociation, excitation and emission in sparks, W. Finkelnburg—133(A)
Electrical breakdown processes, L. B. Snoddy, C. D. Bradley—432(L), 751(A)
Luminosity in the Hg discharge, R. D. Rusk, A. L. Peckham—751(A)
Total probability of excitation by electron impact, F. E. Nuli—560(A)

Disintegration of nucleus
Of B by deutons and protons, C. C. Lauritsen, H. R. Crane—226(L), 493(L)
C, by protons and deutons, L. R. Hafstad, M. A. Tuve—902(L)
Disintegration-particles from targets bombarded by protons and by deutons, evidence for H^3, M. A. Tuve, L. R. Hafstad, O. Dahl—746(A)
Emission and scattering of neutrons, J. R. Dunning—586
Excitation and disintegration of protons, R. M. Langer—495(L)
F, energy of neutrons, T.-Y. Wu—846(L)
γ-ray emission of various targets bombarded by deutons, L. R. Hafstad, M. A. Tuve, C. F. Brown—746(A)
γ-rays from C bombarded by deutons, C. C. Lauritsen, H. R. Crane—345(L)
γ-rays from Li bombarded by protons, C. C. Lauritsen, H. R. Crane—63(L)

Disintegration of nucleus (continued)
By H and H^2 particles, 1200 kv, M. A. Tuve, L. R. Hafstad—651(L)
Of Li; Mass of neutron, C. C. Lauritsen, H. R. Crane—550(L)
Of Li^6 by H^1 and H^2, T.-Y. Wu, G. E. Uhlenbeck—553(L)
Magnetic moment of the neutron, D. R. Inglis, A. Landé—842(L)
Mass of neutron, instability of deuton, G. N. Lewis M. S. Livingston, M. C. Henderson, E. O. Lawrence—242, 497(L)
Multiple acceleration of ions to high speeds, E. O. Lawrence, M. S. Livingston—608
Nature of the high energy particles of penetrating radiation and status of ionization and radiation formulae, E. J. Williams—729
Negative protons and nuclear structure, G. Gamow—728(L)
By neutron bombardment, A. Bramley—901(L)
By neutrons, new type, F. N. D. Kurie—904(L)
Nuclear resonance levels, E. Pollard—218(L)
Protons and neutrons from targets bombarded by deutons, E. O. Lawrence, M. S. Livingston—220 (L)
Proton source for disintegration experiments, S. N. Van Voorhis, J. B. H. Kuper, G. P. Harnwell—492(L)

Dispersion
In N_2, C. E. Bennett—200, 288(A)

Dissociation, heat of (see also **Molecular structure and constants**)
Of CO, W. W. Lozier—752(A)
Of N_2, W. W. Watson, P. G. Koontz—561(A)
N_2, from electron impact, W. W. Lozier—840(L)
Of NaK, F. W. Loomis, M. J. Arvin—753(A)

Doppler effect
Displacements in canal rays, A. I. McPherson—485
Red shift, explanation, P. I. Wold—559(A)

Dynamics
Normal modes of vibration of benzene, E. B. Wilson, Jr.—706
Separable systems in Euclidean 3-space, L. P. Eisenhart—427(L)
Transformation theory of linear canonical equations, C. Lanczos—560(A)

Econodynamics
Laws of society, H. C. Dickinson—741(A)

Efficiency of ionization
By electron collisions in N_2, G. A. Anslow—750(A)
Of *K* and *L* electrons, B. G. Eaton—131(A)
$K\alpha$ ionization of Ag, J. C. Clark—134(A)
Total probability of excitation by electron impact, F. E. Nuli—560(A)

Elasticity
Elastic waves in ice, M. Ewing, A. P. Crary, A. M. Thorne, Jr.—741(A)
Stress evaluation in systems of plane stresses, W. H. Haupt—122(A)
Velocity of polarized waves, A. P. Crary, M. Ewing—749(A)
Young's modulus of rocksalt, temperature variation, L. Balamuth—715
Of Zn single crystals, A. W. Hanson—324

Electric moment (see **Dielectric constant**)

Electric oscillations and waves
Electric waves, Weber's energy equation, F. W. Warburton—123(A), 765(A)
Magnetron oscillator, improved, E. G. Linder—656(L)

Electrical circuits
Invariants of quadrics and circuit theory, R. S. Burington—429(L)

Electrical conductivity and resistance
Of CuO, W. H. Brattain—745(A)
Discontinuities associated with Barkhausen effect, C. W Heaps—320
Of the earth's crust, L. B. Slichter—286(A)
Magneto-resistance of Bi films at low temperatures, C. T. Lane—733(L)
Nonmetallic conducting films, S. Bloomenthal—122(A)
Tension coefficient of single crystals, Zn and Cd, M. Allen—767(A)
Of thin films, D. Roller, D. Wooldridge—119(L)

Electromagnetic theory
Cosmical electric fields, W. F. G. Swann—295(A)
Derivation of equations, H. Bateman—721
Electromagnetic forces and waves, F. W. Warburton—123(A), 765(A)
Field equation modifications, V. Johnson, E. S. Akeley—128(A)
Interior magnetic field in Fe, L. Alvarez—225(L), 566(A)

Electromagnetic waves
Of 1·1 cm wave-length, C. E. Cleeton, N. H. Williams—234

Electron affinity
Of H_2, N_2, CO, O_2 and NH_3, N. E. Bradbury—287(A)
Of O_2, W. W. Lozier—752(A)

Electron diffraction (see also **Scattering of electrons, ions and molecules**)
Imperfection of crystal surfaces, L. H. Germer—293(A)
In methane, ethylene and acetylene, A. L. Hughes, J. H. McMillen—123(A)
By oxides of N_2, L. R. Maxwell, V. M. Mosley, L. S. Deming—293(A)
By stibnite and galena, A. G. Emslie—43
From vacuum-sublimated layers, K. Lark-Horovitz, E. M. Purcell, H. J. Yearian—123(A)

Electron lenses; focussing
Magnetic refocussing of electron paths, W. E. Stephens, A. L. Hughes—123(A); W. E. Stephens—513
Two lens electron microscope, C. J. Calbick, C. J. Davisson—764(A)

Electron tubes (see **Vacuum tubes**)

Electrons (see also **Positive electrons**)
Acceleration to high energies, J. W. Beams, H. Trotter, Jr.—849(L)
Magnetically self-focussing streams, W. H. Bennett—890
Theory of electron and positive, W. H. Furry, J. R. Oppenheimer—245, 343(L); J. R. Oppenheimer—290(A)

Electrons in gases
Magnetically self-focussing streams, W. H. Bennett—890
Motion near plane photo-electrode, A. M. Cravath—138(A)
Negative ion formation, N. E. Bradbury—287(A)

Electrons in metals
Energy bands in metals, J. C. Slater—766(A), 794
Energy states of conduction electron, H. W. B. Skinner, H. M. O'Bryan—293(A), 370
Hall coefficients, theoretical and measured, K. K. Smith, N. A. Hedenberg—122(A)
Metallic conduction, phenomena, E. Weber—740(A)
Thermionic emission, J. A. Becker, W. H. Brattain—694
Thermoelectric effects of the alkalis, A. Sommerfeld—65(L)
Widths of x-ray bands in solids, J. Rehner, Jr.—735(L)
X-ray emission bands of metals, theory of forms, H. Jones, N. F. Mott, H. W. B. Skinner—379

Electrons, positive (see also **Positive electrons**)
From metals, E. Rudberg—764(A)
In methane, ethylene and acetylene, A. L. Hughes, J. H. McMillen—123(A)

Electrons, scattering of (see **Scattering of electrons, ions and molecules**)

Electrons, secondary
From complex targets, P. L. Copeland—763(A)
From Au and Al, J. C. Turnbull, P. L. Copeland—763(A)

Electrons, thermionic (see **Thermionic emission**)

Electro-optical effects (see also **Photoelectric effect and properties**)
Dispersion of the electro-optical Kerr effect in CO_2, G. G. Quarles—760(A)

Electrostatics
Spray electrification of liquids, S. Chapman—135(A)

E/m
Ions from heated salts, L. L. Barnes—751(A)
Of positive electrons, J. Thibaud—781
From the Zeeman effect, L. E. Kinsler, W. V. Houston—104, 134(A)

Energy states of atoms
Nuclear moment of Tl, L. A. Wills—883

Energy states of molecules
Band spectrum of AlH^+, G. M. Almy, M. C. Watson—871
Band spectrum of CS, F. H. Crawford, W. A. Shurcliff—860

Entropy
Of N_2, CO and H_2, W. E. Deming, L. S. Deming—109

Errata
Inversion of doublets in alkali-like spectra, M. Phillips—428(L)
Mass of the neutron, R. Ladenburg—495(L)
Production of positives by nuclear γ-rays, L. Nedelsky, J. R. Oppenheimer—283(L)
Quantum statistics of almost classical assemblies, J. G. Kirkwood—116(L)

Errors of measurement
Statistical fluctuations, R. D. Evans, H. V. Neher—144
Some statistical relations, W. E. Deming, R. T. Birge—767(A)

Evaporation
Of highly refractory substances, H. M. O'Bryan—288(A)

Excitation of atoms and molecules
Band spectrum of CS, F. H. Crawford, W. A. Shurcliff—860

Faraday effect (see **Magneto-optical effects**)

Ferro-magnetism (see **Magnetic properties**)

Field currents
Effect of a current through the emitter, J. E. Henderson, R. K. Dahlstrom—764(A)
Effect of temperature, A. J. Ahearn—764(A)

Fine structure (see **Spectra, etc.**; **Hyperfine structure**)

Fluorescence
Polarization of radiation, I. S. Lowen, G. Breit—120(L)

Friction
Internal friction and magnetization in Fe, W. T. Cooke—742(A)

Gamma-rays (see also **Radioactivity**)
From C bombarded by deutons, C. C. Lauritsen, H. R. Crane—345(L)
Induced radioactivity in targets bombarded by deuterium ions, L. R. Hafstad, M. A. Tuve—767(A)
From Li bombarded by protons, C. C. Lauritsen, H. R. Crane—63(L)
Probability of production of electron pairs, L. Nedelsky, J. R. Oppenheimer—136(A)
Production of electron pairs of high energy, W. H. Furry, J. F. Carlson—137(A)
From targets bombarded by deutons, L. R. Hafstad, M. A. Tuve, C. F. Brown—746(A)

Gases (see **Kinetic theory**)

Gels
Structure of rigid gels, W. O. Smith—748(A)

Geophysics
Age of pitchblende and uraninite, F. Western, A. E. Ruark—628
Electrical resistivity of the earth's crust, L. B. Slichter—286(A)
Haloes and age of minerals, G. H. Henderson—216(L)
Thermal history of the earth, A. N. Lowan—899(L)

Gyromagnetization (see **Magnetic properties**)

Hall effect
Comparison of theoretical and measured coefficients, K. K. Smith, N. A. Hedenberg—122(A)

High pressure phenomena
Two new phenomena at very high pressure, P. W. Bridgman—844(L)

High voltage tubes and machines
Acceleration of protons by electric impulses, J. W. Beams, L. B. Snoddy—287(A); W. T. Ham, J. W. Beams—746(A)
Focussed ion-beams, M. A. Tuve, L. R. Hafstad, O. Dahl—768(A)
Multiple acceleration of ions, E. O. Lawrence, M. S. Livingston—608

Hyperfine structure (see also **Nuclear moments and spin**)
Of F, F. W. Brown—289(A)
Of F I, F. W. Brown, J. H. Bartlett, Jr.—527
In La I, O. E. Anderson—132(A), 685
In Pb II, J. L. Rose—748(A)
Of Hg λ5461, E. E. Boggs, H. W. Webb—561(A)
In Mo I, W I and Cr I, N. S. Grace, K. R. More—166
Nuclear moment of Al, F. W. Brown, R. K. Cook—731(L)
Nuclear moment of Tl, L. A. Wills—883
In solar spectrum, E. McMillan—134(A)
In W I, K. R. More—132(A)

Indetermination principles (see **Mechanics, quantum, general**)

Instruments (see **Methods and instruments**)

Intensities in spectra (see also **Spectra, etc.**)
Of Hα and Hβ in electrodeless discharge, O. Stuhlman, Jr., M. S. McCay—750(A)
Heat and the intensity of Hg lines and bands, J. G. Winans—125(A)

Ionization by electrons (see also **Ionization potentials**)
Of CS_2, H. D. Smyth, J. P. Blewett—752(A)
Total ionization in N_2, G. A. Anslow—750(A)
Townsend coefficients; additional data, F. H. Sanders—346(L)

Ionization by positive ions (see also **Ionization potentials**)
Proton currents from low voltage arc, E. S. Lamar, O. Luhr—287(A), 745(A)

Ionization potentials
Of CS_2, H. D. Smyth, J. P. Blewett—752(A)
Of F II, F III, F IV, I. S. Bowen—82, 132(A)
Of Ge V, As VI, Se VII and Sb VI, Te VII, P. G. Kruger, W. E. Shoupp—759(A)
Of Fe II, J. C. Dobbie—76
Of Pb II, L. T. Earls, R. A. Sawyer—748(A)
Of Os I, W. Albertson—288(A), 304
Of Ag II, W. P. Gilbert—747(A)

Ionization by radiation
γ-ray ionization in gases at various pressures and fields, E. F. Cox—503
Of liquid CS_2 by x-rays, F. L. Mohler, L. S. Taylor—762(A)
In N_2 at high pressures, S. Chylinski—309

Ionization, thermal
K on W, A. L. Reimann—898(L)

Ions in gases (see also **Electrons in gases**)
Columnar ionization and saturation, D. Lyford, J. A. Bearden—743(A)
γ-ray ionization in gases at various pressures and fields, E. F. Cox—503
Mass-spectrograph determination of the relative abundance of $H_2{}^2O$ in a sample, O. Luhr, L. Harris—843(L)

Ions, high speed
Artificial radioactivity; deuton bombardment, M. C. Henderson, M. S. Livingston, E. O. Lawrence—428(L)
Artificial radioactivity; production of positrons; deuton bombardment, H. R. Crane, C. C. Lauritsen—430(L)
Focussed ion-beams, M. A. Tuve, L. R. Hafstad, O. Dahl—768(A)
Multiple acceleration apparatus, E. O. Lawrence, M. S. Livingston—608
Multiple acceleration of ions, J. W. Beams, L. B. Snoddy—287(A), W. T. Ham, J. W. Beams—746(A)
Used in production of neutrons, H. R. Crane, C. C. Lauritsen, A. Soltan—507

Ions, mobility (see also **Ions in gases**)
Pb ions in crystals of $PbSO_4$, I. M. Kolthoff, C. Rosenblum—341(L)

Isotopes
Abundance of Li isotopes, G. P. Harnwell, W. Bleakney—117(L)
Detection of H^3, M. A. Tuve, L. R. Hafstad, O. Dahl—746(A); G. P. Harnwell, H. D. Smyth, S. N. Van Voorhis, J. B. H. Kuper—769(A)
Doublet separation of $H^1\alpha$ and $H^2\alpha$, R. C. Gibbs, R. C. Williams—221(L)
$H^2{}_2$ Raman spectrum, R. W. Wood—732(L)
H^2, x-ray absorption, D. K. Froman—731(L)
H^3, abundance, by mass-spectrograph, W. W. Lozier, P. T. Smith, W. Bleakney—655(L)
H^3, detection in high voltage H^2 beams, M. A. Tuve, L. R. Hafstad, O. Dahl—840(L)

H^3, production in gas discharge, G. P. Harnwell, H. D. Smyth, S. N. Van Voorhis, J. B. H. Kuper—655(L)
Isotope displacement in W I, K. R. Moore—132(A)
Isotope shift, Mg I spectrum, R. F. Bacher, R. A. Sawyer—125(A)
Mass of He^3, C. C. Lauritsen, H. R. Crane—550(L)
Mass-spectrograph determination of the relative abundance of H^2 in a sample, O. Luhr, L. Harris—843(L)
Of MgF band spectra, F. A. Jenkins, R. Grinfeld—133(A), 229
Number of actinouranium isotopes, A. E. Ruark, F. Western—69
OH isotope bands, R. W. Shaw, R. C. Gibbs—124(A)
Prediction, J. H. Bartlett, Jr.—847(L)
Ratio O^{16}/O^{18}, W. R. Smythe—299
Refractive index and density of H^2_2O, D. B. Luten, Jr.—161
Separation of H isotopes, H. C. Urey, M. H. Wahl—566(A)
Of Si, relative abundance, band spectrum, A. McKellar—761(A)
Spectra of acetylene containing H^2, H. M. Randall, E. F. Barker—124(A)
Test for H^3 and O^{18}, W. Bleakney, A. J. Gould—281(L)
TiO isotope bands; search for, H. P. Knauss, H. M. Strong, H. L. Johnston—124(A)
Ultraviolet spectrum of H^1H^2, C. R. Jeppesen—480
Vapor pressure of deuterium, F. G. Brickwedde, R. B. Scott, H. C. Urey, M. H. Wahl—565(A)
Vapor pressures of the H isotopes, R. B. Scott, F. G. Brickwedde, H. C. Urey, M. H. Wahl—762(A)
Various properties of H isotopes, W. Bleakney—762(A)

Kerr effect (see **Electro-optical effects**)

Kinetic theory of gases

Entropies of N_2, CO and H_2, W. E. Deming, L. S. Deming—109
Thermodynamic properties of He gas, J. R. Roebuck, H. Osterberg—332

Liquids

Float type fluid meter recording, J. Razek—563(A)
Spray electrification, S. Chapman—135(A)
Structure of benzene and cyclohexane, H. K. Ward—562(A)

Magnetic moment (see **Nuclear moments and spin**)

Magnetic properties

Ammonium bicarbonate, A. Mookherjee—844(L)
Barkhausen discontinuities; propagation in Ni-Fe alloys, R. E. Reinhart—342(L), 420
Barkhausen effect and discontinuities in resistance, C. W. Heaps—320
Bitter's powder patterns, K. J. Sixtus—565(A)
Crystaldiamagnetism of Bi crystals, A. Goetz, A. B. Focke—136(A), 170
Crystalline electric fields and susceptibility of cupric salts, O. M. Jordahl—87
Distribution of ferromagnetism among metals, D. R. Inglis—128(A)
Of Fe-CO crystals, L. W. McKeehan, J. W. Shih—742(A)
Ferromagnetism and magnetization of imperfect crystals, F. Bitter—742(A)
High permeabilities in H-treated Fe, P. P. Cioffi—742(A)
High permeability; heat treatment in magnetic field, R. M. Bozorth, J. F. Dillinger, G. A. Kelsall—742(A)
Hysteresis at low flux densities, W. B. Ellwood—743(A)
Internal friction and magnetization in Fe, W. T. Cooke—742(A)
Magnetization in rotating monocrystal of Si-Fe, discontinuous changes, L. W. McKeehan, R. F. Clash, Jr.—839(L)
Magneto-resistance of Bi films at low temperatures, C. T. Lane—733(L)
Mechanical model for hysteresis, F. S. Goucher—743(A)
Of pyrrhotite, D. R. Inglis—118(L)
Reversal nuclei in magnetic propagation, K. Sixtus—768(A)
Of Rochelle salt, C. T. Lane—66(L)
Stern-Gerlach experiment with Fe, W. Klabunde, T. E. Phipps—59
Theoretical magnetization for Fe and Fe alloys, T. D. Yensen—743(A)

Magneto-optical effects

Detection of vitamin A by Allison method, G. M. Wissink, J. W. Woodrow—126(A)
Test of magneto-optic method of chemical analysis, F. G. Slack, J. A. Peoples, Jr.—126(A)

Mass-spectrograph (see also **Methods and instruments**)

Automatic recording, P. T. Smith, W. W. Lozier, W. Bleakney—761(A)
Detection of H^3, M. A. Tuve, L. R. Hafstad, O. Dahl—746(A); G. P. Harnwell, H. D. Smyth, S. N. Van Voorhis, J. B. H. Kuper—769(A)
Determination of the relative abundance of H^3 in a sample, O. Luhr, L. Harris—843(L)
High intensity mass-spectrometer, W. R. Smythe, L. H. Rumbaugh, S. S. West—220(L), 724
Insulating films; electron and ion bombardment, R. Lariviere Stewart—488
Isotopic ratio in O, W. R. Smythe—299
Test for H^3 and O^{18}, W. Bleakney, A. J. Gould—281(L)

Mean life

Of the 7^3S^1 state of Hg, A. C. G. Mitchell, E. J. Murphy—759(A)

Measurements (see **Methods and instruments**)

Mechanics (see **Dynamics**)

Mechanics, quantum-atomic structure and spectra

Dirac vector model in complex spectra, J. H. Van Vleck—405
Dirac vector model; several configurations, R. Serber—461
Electrostatic interaction, R. F. Bacher, S. Goudsmit—767(A)

Mechanics, quantum—general

Distribution of ferromagnetism among metals, D. R. Inglis—128(A)
Elastic waves and motion of electrons in force fields, R. B. Lindsay—560(A)
Indeterminacy relations, F. E. White, R. B. Lindsay—560(A)
Levi-Civita's wave equation, B. Hoffmann—289(A)
Numerical solution of Schroedinger's equation, G. E. Kimball, G. H. Shortley—815
Photoelectric effect for high energy quanta, H. Hall—216(L), 620
Of positron, W. H. Furry, J. R. Oppenheimer—903(L)
Rotation in polyatomic crystals, H. H. Nielsen—127(A)
Separable systems in Euclidean 3-space, L. P. Eisenhart—427(L)
Solution of eigenvalue problems in any number of dimensions, G. E. Kimball, G. H. Shortley—560(A)

Mechanics, quantum—molecular structure and spectra

Rotation vibration coupling in diatomic molecules, C. L. Pekeris—98

Mechanics, quantum—of solid bodies

Conduction electrons and x-ray emission bands, H. Jones, N. F. Mott, H. W. B. Skinner—379
Energy bands in metals, J. C. Slater—794
Magnetic and gyromagnetic properties of pyrrhotite, D. R. Inglis—118(L)

Mechanics, statistical

Almost classical assemblies, J. G. Kirkwood—116(L)
Transport phenomena in Einstein-Bose and Fermi-Dirac gases, E. A. Uehling—766(A)

Metals (see also **Crystalline state; Electrons in metals**)

Energy bands, electronic, J. C. Slater—794
Magneto-resistance of Bi films at low temperatures, C. T. Lane—733(L)
Widths of x-ray bands in solids, J. Rehner, Jr.—735(L)

Metastable atoms and molecules

Emission and absorption from 2^3P_0 in Hg in presence of N_2, M. L. Pool, O. W. Prashun—124(A)
States in N_2, J. Kaplan—675

Meteorology

Branching of lightning; polarity of thunderclouds, J. C. Jensen—296(A)
Ionization near ground during thunderstorms, G. R. Wait, A. G. McNish—750(A)
Kennelly-Heaviside layer measurements, H. R. Mimno, P. H. Wang—291(A)
Maintenance of the earth's electrical charge, R. Gunn—291(A)

Methods and instruments

Absolute x-ray intensities, G. L. Locher, D. P. LeGalley—292(A)
Acceleration of protons by electric impulses, J. W. Beams, L. B. Snoddy—287(A); W. T. Ham, J. W. Beams—746(A)
α-particles ejected from solids, R. D. Evans—29, 136(A)
α-ray source for cloud chambers, C. T. Knipp—744(A)
Alternating-current method of determining critical potentials, R. W. Hickman—287(A)
Al coating of mirrors, J. Strong—769(A)
Arcs in ionization chambers, R. D. Bennett—491(L)
Artificial production of neutrons, H. R. Crane, C. C. Lauritsen, A. Soltan—507
Automatic comparator and wave-length reducer for spectrograms, G. R. Harrison—760(A)
Columnar ionization and saturation, D. Lyford, J. A. Bearden—743(A)
Composition of oxide-coated cathodes by x-rays, W. P. Jesse—563(A)
Cosmic-ray recording meter, A. H. Compton, E. O. Wollan, R. D. Bennett, A. W. Simon—758(A)
Detection of nuclear disintegration products, H. A. Barton, D. W. Mueller—650(L)
Disintegration of sputtered deposits, E. A. Johnson, L. Harris—288(A), 630
Double-coated Schumann films; visible and ultraviolet, H. P. Knauss, R. V. Zumstein—124(A)
Doublet separations with a Fabry-Perot interferometer, W. V. Houston—132(A)
Electrical latent image, V. K. Zworykin—564(A)
Electromagnetic 1·1 cm waves, C. E. Cleeton, N. H. Williams—234
Evaporation of highly refractory substances, H. M. O'Bryan—288(A)
Filter method for measuring width of Compton line, E. O. Wollan—755(A)
Float type fluid meter; recording, J. Razek—563(A)
Focussing electron beams, J. Thibaud—781
Graphical method for obtaining optical constants, R. Tousey—562(A)
Gratings on Michelson interferometer, B. P. Ramsay—296(A)
Grid controlled Hg vapor rectifier, P. H. Craig—563(A)
High precision supersonic data, H. L. Yeagley—749(A)
Insulating films, electron and ion bombardment, R. Lariviere Stewart—488
Integrating α-ray photometer for x-ray crystal analysis—G. J. Mueller—762(A)
Ions from heated salts, L. L. Barnes—751(A)
Low noise amplifiers, G. L. Pearson—740(A)
Magnetic refocussing of electron paths, W. E. Stephens, A. L. Hughes—123 (A); W. E. Stephens—513
Magnetometer for crystal ferromagnetism, L. W. McKeehan, J. W. Shih—742(A)
Magneto-optic method of chemical analysis, F. G. Slack, J. A. Peoples, Jr.—126(A); G. M. Wissink, J. W. Woodrow—126(A)
Magnetostrictive oscillation of Chladni plates, R. C. Colwell, E. A. Bryant—291(A)
Magnetostrictive phonograph reproducer, S. A. Buckingham—291(A)
Magnetron oscillator, improved, E. G. Linder—656(L)
Mass-spectrograph, automatic recording, P. T. Smith, W. W. Lozier, W. Bleakney—761(A)

Mass-spectrometer of high intensity, W. R. Smythe, L. H. Rumbaugh, S. S. West—220(L), 724
Measurement of temperature of sound fields, E. A. Johnson—641
Measuring emission from thermionic cathodes, C. G. Found—519
Mechanical model for hysteresis, F. S. Goucher—743(A)
Multiple acceleration of ions to high speeds, E. O. Lawrence, M. S. Livingston—608; W. T. Ham, J. W. Beams—746(A)
For observing solar corona without eclipse, A. M. Skellett—649(L)
Piezoelectric resonators, space-charge effects, W. G. Cady—740(A)
Power-factor bridge measurements, J. C. Balsbaugh—286(A)
Proton currents from low voltage arc, E. S. Lamar, O. Luhr—287(A), 745(A)
Proton source for disintegration experiments, S. N. Van Voorhis, J. B. H. Kuper, G. P. Harnwell, 492(L)
Radiation characteristics of oxide cathodes, W. T. Millis, E. F. Lowry—674(A)
Radiation intensity, absolute measurement, J. D. Hardy—740(A)
Rotating flashometer, W. E. Forsythe, M. A. Easley—127(A)
Sealing fluorite window to glass, F. Palmer, Jr.—556(L)
Sealing metals to glass, A. W. Hull—285(A)
Separation of H isotopes, H. C. Urey, M. H. Wahl—566(A)
Servo-mechanisms, H. L. Hazen—286(A)
Shape, wave-length and width of an x-ray absorption limit, F. K. Richtmyer, S. W. Barnes—754(A)
Spectral distribution of photoflash lamp, W. E. Forsythe, M. A. Easley—123(A)
Spectrum of Rb in Hg arc, I. A. Balinkin, D. A. Wells—124(A)
Statistical fluctuations, applications, R. D. Evans—137(A); R. D. Evans, H. V. Neher—144
Talbot's law for barrier-layer photo-cells, P. R. Gleason 745(A)
Temperatures of gases from intensities of band spectra, O. Oldenberg—291(A), 738(A)
Time constants of W lamps, W. E. Forsythe, M. A. Easley—740(A)
Transmission of fluorite in ultraviolet; photoelectric, W. M. Powell, Jr.—154
Transmittancy determined by the Hilger rotating sector-photometer, A. Dingwall, R. G. Crosen, H. T. Beans—128(A)
Tube with variable mu grid, W. Dehlinger—563(A)
Tubes for G-M Counters, L. Fussell, Jr., T. H. Johnson—294(A)
Two-stage oil diffusion pump, J. E. Henderson—768(A)
Ultracentrifuge, improvements, E. G. Pickels—748(A)
Variation of elastic moduli with temperature, L. Balamuth—715
Wilson cloud chamber with long time of sensitivity, J. A. Bearden—758(A)
X-ray line shapes by double crystal spectrometer, L. P. Smith—754(A)
X-ray tube, shielded filament, E. Dershem—756(A)

Mobility of ions (see **Ions, mobility**)

Molecular beams (see **Atomic and molecular beams**)

Molecular structure and constants (see also **Spectra, molecular; Raman spectra**)

Of acetylene containing H^2, H. M. Randall, E. F. Barker—124(A)
Band spectrum of AlH^+, G. M. Almy, M. C. Watson—871
Band spectrum of CS, F. H. Crawford, W. A. Shurcliff—860
Ethylene, moments of inertia and shape, R. M. Badger—648(L)
Internuclear distances and bond force constants, R. M. Badger—559(A)
L-Uncoupling in LiH, F. H. Crawford, T. Jorgenson, Jr.—737(A)
Motions of a chain of four atoms, L. S. Kassel, C. W. Montgomery—766(A)
N_2, heat of dissociation, W. W. Lozier—840(L)
Normal modes of vibration of benzene, E. B. Wilson, Jr.—706
Of oxides of N_2, L. R. Maxwell, V. M. Mosley, L. S. Deming—293(A)
Potential minima and torsion oscillation, T.-Y. Wu—66(L)
Rotational Raman spectrum of N_2O, D. Bender—732(L)
Of triatomic molecules, A. V. Bushkovitch—545
Vibrational isotope effects in three-particle systems, A. Adel—56
Vibrational levels of HCN, A. Adel, E. F. Barker—277
Vibrations of tetrahedral pentatomic molecules, J. E. Rosenthal—538, 766(A)
Wave-mechanical treatment of Li_2, H. M. James—737(A)

Multiplets (see also **Spectra, atomic**)

Relative transition probabilities, C. W. Ufford, F. M. Miller—759(A)

Neutrons

Artificial production, H. R. Crane, C. C. Lauritsen, A. Soltan—507
From B, T. W. Bonner, L. M. Mott-Smith—554(L)
Collisions with atomic nuclei; cross-section area, T. W. Bonner—601
From disintegration of Be, H. R. Crane, C. C. Lauritsen—226(L)
Disintegration induced by, F. N. D. Kurie—904(L)
From disintegration of Li by H^2, C. C. Lauritsen, H. R. Crane—550(L)
Emission and scattering; collision cross section, J. R. Dunning—586
From F, energy distribution, T. W. Bonner, L. M. Mott-Smith—552(L)
From F and Be, T. W. Bonner—425(L)
Interaction and mass, E. Feenberg—649(L)
Interaction with protons, R. M. Langer—137(A)

Neutrons (continued)
Mass, R. M. Langer—137(A); H. H. Goldsmith, V. W. Cohen—850(L); M. A. Tuve, L. R. Hafstad—651(L)
Mass from disintegration of deutons, G. N. Lewis, M. S. Livingston, N. C. Henderson, E. O. Lawrence—242, 497(L)
Mass of neutron and stability of H^2, R. Ladenburg—224(L), 495(L)
Models of electrostatic neutron, H. Margenau—559(A)
Production by impact of 3Mv deutons, E. O. Lawrence, M. S. Livingston—220(L)
Radioactivity induced by, A. Bramley—901(L)
Scattering by light elements, J. R. Dunning, G. B. Pegram—768(A)
Search for neutrons with β-rays, G. H. Denison—557(L)
Spectrum from Rn-Be, J. R. Dunning, G. B. Pegram—295(A)

Nuclear moments and spin (see also **Hyperfine structure**)
Of Al, F. W. Brown, R. K. Cook—731(L)
Of deuterium, band spectra, G. M. Murphy, H. Johnston—550(L), 761(A)
Of the deuton, I. I. Rabi, J. M. B. Kellogg, J. R. Zacharias—769(A)
Of the deuton, Stern-Gerlach experiment, I. Estermann, O. Stern—761(A)
Of F, F. W. Brown, J. H. Bartlett, Jr.—527
Of H^2, R. M. Langer—137(A), G. M. Murphy, H. Johnston—550(L)
Magnetic moment of the neutron, D. R. Inglis, A. Landé—842(L)
Of Mo and W, N. S. Grace, K. R. More—166
Of the proton, Stern-Gerlach experiment, I. I. Rabi, J. M. B. Kellogg, J. R. Zacharias—761(A)
Of Na, J. Joffe—468
Of Tl, L. A. Wills—883
Used to determine properties of the H isotopes, W. Bleakney—762(A)

Nuclear structure
$H^2+H^2 \rightarrow He^3+n^1$, H. H. Goldsmith, V. W. Cohen—850(L)

Nucleus (see also **Disintegration of nucleus**)
Of B, resonance levels, T. W. Bonner, L. M. Mott-Smith—554(L), E. Pollard—555(L), 746(A)
Emission and scattering of neutrons; resonance levels, J. R. Dunning—586
Excitation and disintegration of protons, R. M. Langer—495(L)
Field near α-particles, J. A. Wheeler—746(A)
F, disintegration, energy of neutrons, T.-Y. Wu—846(L)
Of F, resonance levels, T. W. Bonner, L. M. Mott-Smith—552(L)
H^3, production from H^2, G. P. Harnwell, H. D. Smyth, S. N. Van Voorhis, J. B. H. Kuper—655(L)
Magnetic moment of the neutron, D. R. Inglis, A. Landé—842(L)
Method of detecting disintegration products, H. A. Barton, D. W. Mueller—650(L)
Nature of the high energy particles of penetrating radiation and status of ionization and radiation formulae, E. J. Williams—729
Negative protons and nuclear structure, G. Gamow—728(L)
Nuclear energies; Al and Be, H. A. Wilson—430(L)
Prediction of isotopes, J. H. Bartlett, Jr.—847(L)
Resonance levels and atomic number, E. Pollard—218(L)

Optical constants and properties
Dispersion of the electro-optical Kerr effect in CO_2, G. G. Quarles—760(A)
Dispersion in N_2, C. E. Bennett—200, 288(A)
Double refraction of normal aliphatic acids, A. King—562(A)
Graphical method for obtaining optical constants, R. Tousey—562(A)
Reflection of quartz in region 9 mu, S. Silverman—158
Refractive index of aqueous solutions of ethyl alcohol effect of pressure, F. E. Poindexter, J. S. Rosen—760(A)
Refractive index of $H^2{}_2O$, D. B. Luten, Jr.—161
Transmission of F in ultraviolet, photoelectric, W. M. Powell, Jr.—154

Optical instruments (see **Methods and instruments**)

Optical theory
Direction of extraordinary ray in uniaxial crystal, R. V. Baud—121(A)

Oscillator
Magnetron, for microwaves, E. G. Linder—656(L)

Paschen-Back effect
Multiplet of Zn and Cd, J. B. Green, D. E. Gray—273

Photoelasticity
Stress evaluation in systems of plane stresses, W. H. Haupt—122(A)

Photoelectric effect and properties; cells
Energy distribution of electrons from K films on Ag, J. J. Brady—745(A)
High energy quanta, theory, H. Hall—216(L), 620
Motion of electrons near plane plate, A. M. Cravath—138(A)
Spatial distribution of photoelectrons, J. A. Van den Akker—49
Thin metallic films, D. Roller, D. Wooldridge—119(L)
Thresholds of (100) and (111) faces of Cu crystal, N. Underwood—745(A)
Work function, thermionic and photoelectric, J. A. Becker, W. H. Brattain—694

Photography
Electric latent image, V. K. Zworykin—564 (A)

Photo-ionization (see **Ionization by radiation**)

Photometry
Analysis of intensity complex, R. C. Williams, R. C. Gibbs—566(A)
Integrating α-ray photometer for x-ray crystal analysis, G. J. Mueller—762(A)

Rotating flashometer, W. E. Forsythe, M. A. Easley—127(A)
Sensitivity of x-ray film, G. L. Locher, D. P. LeGalley—292(A)
Transmittancy determined by the Hilger rotating sector-photometer, A. Dingwall, R. G. Crosen, H. T. Beans—128(A)

Photons
Collision of, J. L. Synge—500(L)
Collisions between photons, A. L. Hughes, G. E. M. Jauncey—217(L)
Experiment to detect spin, R. A. Beth—296(A)
Klein-Nishina formula, test in 50–20 X.U. region, J. Read, C. C. Lauritsen—433
Possibility of collision of two quanta, G. Breit, J. A. Wheeler—766(A)
Possibility of measuring spin, G. F. Hull—737(A)
Radiation from annihilation of protons and electrons, A. L. Hughes, G. E. M. Jauncey—217(L)

Photronic cells (see **Barrier-layer photo-cells**)

Piezoelectric effect
Space-charge effect in resonators, W. G. Cady—740(A)

Polarization of radiation
Light at sea, E. O. Hulburt—285(A)
Polarization of fluorescence radiation, I. S. Lowen, G. Breit—120(L)
Skylight, during solar eclipse, W. M. Cohn—848(L)

Positive electron
Absorption, e/m ratio, focussing, J. Thibaud—781
Errata: Production of positives by nuclear γ-rays, L. Nedelsky, J. R. Oppenheimer—283(L)
Formation from photon collisions, G. Breit, J. A. Wheeler—766(A)
Limitation of theory, W. H. Furry and J. R. Oppenheimer—903(L)
Production of high energy electron pairs, W. H. Furry, J. F. Carlson—137(A)
Production by nuclear γ-rays, L. Nedelsky, J. R. Oppenheimer—136(A)
Production and properties, C. D. Anderson—290(A)
Theory of, W. H. Furry, J. R. Oppenheimer—245; G. E. Uhlenbeck—290(A); W. H. Furry, J. R. Oppenheimer—343(L)

Positrons
Energy range from artificially radioactive elements, C. D. Anderson, S. H. Nedermeyer—653(L)

Potentials, critical (see also **Ionization potentials**)
Alternating-current method, R. W. Hickman—287(A)

Probability of ionization (see **Efficiency of ionization**)

Radio
Low noise amplifiers, G. L. Pearson—740(A)

Radioactivity
α-particles ejected from solids, R. D. Evans—29, 136(A)
Artificial, C bombarded by deuton and proton, L. R. Hafstad, M. A. Tuve—902(L)
Artificial; deuton bombardment, M. C. Henderson, M. S Livingston, E. O. Lawrence—428(L)
Artificial; energy of positrons, C. D. Anderson, S. H. Neddermeyer—653(L)
Artificial; energy spectra of positrons, S. Neddermeyer, C. D. Anderson—498(L)
Artificial; by neutron bombardment, J. R. Dunning, G. B. Pegram—768(A); A. Bramley—901(L)
Artificial; production of positrons; deuton bombardment, H. R. Crane, C. C. Lauritsen—430(L)
Artificially radioactive substances; gases, H. R. Crane, C. C. Lauritsen—497(L), 746(A)
Color of smoky quartz, N. M. Mohler—743(A)
Geiger-Nuttall law, A. E. Ruark—564(A)
Half-life of actinouranium, F. Western, A. E. Ruark—628, 744(A)
Haloes and age of minerals, G. H. Henderson—216(L)
Induced radioactivity in targets bombarded by deuterium ions, L. R. Hafstad, M. A. Tuve—767(A)
Levels of radioactive elements; applications to β, γ and x-ray spectra, F. A. Maxfield, A. E. Ruark—744(A)
Neodymium, β-rays, W. F. Libby—845(L)
Radiations of Ac family, A. E. Ruark—564(A)
Ra content of lavas, R. D. Evans, H. Williams—137(A)
Ra-U ratio, isotopes of actinouranium, A. E. Ruark, F. Western—69
Recovery of activity after heating, C. T. Knipp—744(A)
Of Sm, D. Lyford, J. A. Bearden—743(A)
Search for neutrons with β-rays, G. H. Denison,—557(L)
Segregation of Po in bismuth crystal, W. W. Eaton—647(L)
Stability of H^2, R. Ladenburg—224(L); 495(L)
Statistical fluctuations, R. D. Evans—137(A)
Th content of rocks, R. D. Evans—38

Raman Spectra
Of H^2_2O, R. W. Wood—297(A), 392, 565(A), 732(L)
Of neopentyl deuteride, D. H. Rank, E. R. Bordner, K. D. Larsen—566(A)
Of N_2O; rotational, D. Bender—732(L)
Of sodium nitrate, sodium acetate, acetic acid, E. R. Laird, D. A. Franklin—738(A)

Relativity
Collision problems and the conservation laws, B. Hoffmann—734(L)
Dirac equations in projective relativity, O. Veblen, J. Von Neumann, A. H. Taub—769(A)
Ether-drift experiment, temperature effects, G. Joos, D. C. Miller—114(L)
Levi-Civita's wave equation, B. Hoffmann—289(A)
Stable universe compatible with red shift, F. S. C. Northrop—737A
Variation of ether-drift experiment, P. B. Carwile—755(A)

Resistance, electrical (see also **Electrical conductivity and resistance**)
Magneto-resistance of Bi films at low temperatures, C. T. Lane—733(L)

Scattering of electrons, ions and molecules (see also **Electrons in gases; Electron diffraction**)
Electron scattering in Hg, A. P. Gagge—288(A)
Of H_2 and He in Hg, R. M. Zabel—287(A), 760(A)
By Hg atoms; Mott's theory, E. B. Jordan—47, 136(A)
Small angle scattering of K atoms, W. H. Mais, I. I. Rabi—565(A)
Zero angle inelastic scattering in He, R. L. Womer—689

Secondary electrons (see **Electrons, secondary**)

Soils
Ideal rigid gel, W. O. Smith—748(A)
Vapor sorbed by an ideal soil, W. O. Smith—767(A)

Solid state (see also **Crystalline state**)
Magneto-resistance of Bi films at low temperatures, C. T. Lane—733(L)
Two new phenomena at very high pressure, P. W. Bridgman—844(L)

Solutions
Dielectric behavior of dilute binary solutions, F. E. Hoecker—741(A)

Spark discharge (see also **Discharge of electricity in gases**)
Dissociation, excitation and emission, W. Finkelnburg—133(A)
Electrical breakdown processes, L. B. Snoddy, C. D. Bradley—432(L), 751(A)

Specific heat
Ratio to thermal expansion, W. J. Jackson—285(A)

Spectra, absorption (see also **Absorption of light**)
Of ammonia, C. E. Cleeton, N. H. Williams—234
As_2, new band system, G. E. Gibson, A. Macfarlane—899(L)
Of Sb_2, S. M. Naudé—280(L)
Of Cs_2, P. Kusch, F. W. Loomis—752(A)
Of Calciferol (vitamin D), E. Shelow—126(A)
Of CO_2, E. F. Barker, T.-Y. Wu—1
Of compounds derived from living cells, F. F. Heyroth, J. R. Loofbourow—126(A)
Of formaldehyde, ultraviolet, G. H. Dieke, G. B. Kistiakowsky—4
Of heavy water, infrared, J. W. Ellis, B. W. Sorge—757(A)
Of heavy water, ultraviolet, J. Franck, R. W. Wood—667
Of I, J. H. McLeod—289(A), 802
Of I_2, D. T. Warren—561(A)
I (atomic) in ultraviolet, J. H. McLeod—802
Infrared band of arsine, W. V. Norris, H. J. Unger—68(L)
Infrared spectrum of water, containing deuterium, A. L. Casselman—221(L)
Of O_2, extreme ultraviolet, G. B. Collins, W. C. Price—561(A)
O_4 and O_2 molecules, J. W. Ellis, H. O. Kneser—133(A)
Of phosphine infrared absorption, L. W. Fung, E. F. Barker—238
Of NaK, F. W. Loomis, M. J. Arvin—753(A)
Vibrational levels of HCN, A. Adel, E. F. Barker—277

Spectra, atomic
Of A, infrared, R. M. Woods, B. J. Spence—669
Atomic energy relations; calculations, R. F. Bacher, S. Goudsmit—559(A)
Of Cs III and Ba IV, Sister M. A. Fitzgerald and R. A. Sawyer—748(A)
Of Ce I and Ce II, G. R. Harrison, W. Albertson—289(A)
Of Cl III, Cl IV, Cl V, I. S. Bowen—401
Dirac vector model in complex spectra, J. H. Van Vleck—405
Dirac vector model; several configurations, R. Serber—461
Doppler displacements in H canal rays, A. I. McPherson—485
Doublet separations of $H^1\alpha$ and $H^2\alpha$, R. C. Gibbs, R. C. Williams—221(L)
Electrostatic interaction, R. F. Bacher, S. Goudsmit—767(A)
Of Eu II, W. Albertson, 499(L)
Of F II, F III, F IV, I. S. Bowen—82, 132(A)
Forbidden lines in Pb I, J. Blaton, H. Niewodniczański—64(L)
$H\alpha$ and $H\beta$ intensities in electrodeless discharge, O. Stuhlman, Jr., M. S. McCay—750(A)
Inversion of doublets in alkali-like spectra; erratum, M. Phillips—428(L)
I_2, ultraviolet absorption. J. H. McLeod—802
Isotope shift in Mg, R. F. Bacher, R. A. Sawyer—125(A)
Of La III, R. C. Gibbs, G. K. Schoepfle—747(A)
Of Pb II, L. T. Earls, R. A. Sawyer—748(A)
Of Pb V, G. K. Schoepfle—747(A)
Of Mo V, M. W. Trawick—289(A)
Of Ne I, Ne II, Ne III and Ne IV, J. C. Boyce—759(A)
New terms in Fe II, J. C. Dobbie—76
Of Os I; normal configuration of Ir, W. Albertson—288(A), 304
Of Se I, J. E. Ruedy, R. C. Gibbs—747(A)
Separation of Balmer doublets, W. V. Houston, Y. M. Hsieh—132(A), 263; R. C. Williams, R. C. Gibbs—475; N. P. Heydenburg—759(A)
Solution of eigenvalue problems in any number of dimensions, G. E. Kimball, G. H. Shortley—560(A)
Widths of x-ray bands in solids, J. Rehner, Jr.—735(L)

Spectra, continuous
Electron radiation in gas discharge, W. Finkelnburg—341(L)

Spectra, general
Active N_2 and auroral spectrum, J. Kaplan—761
Emission and absorption from 2^3P_0 in Hg, M. L. Pool, O. W. Prashun—124(A)
Of Rb in Hg arc, I. A. Balmkin, D. A. Wells—124(A)
Spectral distribution of photo-flash lamp, W. E. Forsythe, M. A. Easley—123(A)

Spectra, molecular (see also **Molecular structure and constants**)
Of acetylene containing H^2, H. M. Randall, E. F. Barker—124(A)
Acetylene and ethylene, ultraviolet, W. C. Price—843(L)
Of AlH^+, G. M. Almy, M. C. Watson—753(A), 871
Band, of NH and corresponding NH^2 band, G. H. Dieke, R. W. Blue—395
Of BaCl and BeCl, A. E. Parker—752(A)
Of BaCl, green bands, A. E. Parker—290(A)
Be Cl_2 ultraviolet, W. R. Fredrickson, M. E. Hogan, Jr. —222(L)
Of CO; fourth positive bands, D. N. Read—752(A)
Of CS, F. H. Crawford, W. A. Shurcliff—860
Electronic isotope effects, H. L. Johnston—79
Of formaldehyde, analysis, A. Nordsieck—133(A)
Of HfO, R. W. Shaw, H. C. Ketcham—753(A)
Of HCl flame, J. Strong—769(A), 877
Of H^1H^2; ultraviolet, C. R. Jeppeson—480
Of "heavy" ammonia, R. B. Barnes, W. S. Benedict, C. M. Lewis—347(L)
Intensity distributions as temperature indicator, O. S. Duffendack, R. W. Revans, A. S. Roy—807
Of MgF, isotope effect of Mg, F. A. Jenkins, R. Grinfeld —133(A), 229
Motions of a chain of four atoms, L. S. Kassel, C. W. Montgomery—766(A)
Of N_2, W. W. Watson, P. G. Koontz—561(A)
Of N_2, new bands, J. Kaplan—675, 133(A), 757(A), 898(L)
Of N_2O_3; ultraviolet, E. H. Melvin, O. R. Wulf—751(A)
OH isotope bands, R. W. Shaw, R. C. Gibbs—124(A)
Of rare earth compounds, C. J. Rodden, O. S. Plantinga —280(L)
Resonance spectra of Br_2, H. J. Plumley—678
Rotation-vibration coupling in diatomic molecules, C. L. Pekeris—98
Structure of triatomic molecules, A. V. Bushkovitch—545
Temperature of gases from intensities of band spectra, abnormal rotation, O. Oldenberg—291(A), 738(A)
Of SnO, T. F. Watson, F. W. Loomis—753(A)
SnO, new band at 36,803 cm^{-1}, F. W. Loomis, T. F. Watson—805
TiO isotope bands; search for, H. P. Knauss, H. M. Strong, H. L. Johnston—124(A)
Vibrational isotope effects, J. E. Rosenthal—426(L); E. B. Wilson, Jr.—427(L)
Vibrational isotope effects in three-particle systems, A. Adel—56
Vibrations of tetrahedral pentatomic molecules, J. E. Rosenthal—538, 766(A)
Of H_2O vapor, L. G. Bonner—496(L)

Spectra, Raman (see **Raman spectra**)

Spectra, x-ray (see also **X-ray spectra**)
Widths of x-ray bands in solids, J. Rehner, Jr.—735(L)

Spectroscopy, technique
Analysis of intensity complex, R. C. Williams, R. C. Gibbs—566(A)
Automatic comparator and wave-length reducer for spectrograms, G. R. Harrison—760(A)
Double-coated Schumann films; visible and ultraviolet, H. P. Knauss, R. V. Zumstein—124(A)
Wave-length standards in extreme ultraviolet, J. C. Boyce—289(A)

Spinor analysis
Interpretation, O. Veblen—127(A)
Significance in modern physics, O. Laporte—126(A)

Sputtering
Disintegration of deposits, E. A. Johnson, L. Harris—288(A), 630

Statistical mechanics (see **Mechanics, statistical**)

Sun (see **Astrophysics**)

Thermal expansion
Of alloys and glass, A. W. Hull—285(A)
Of Ni monocrystals near Curie point, C. Williams—741(A)
Ratio to constant pressure, W. J. Jackson—285(A)

Thermionic emission of electrons; Emitting surfaces (see also **Electron tubes**)
Cb, H. B. Wahlin, L. O. Sordahl—886
Image of emitting surface, electron lens, C. J. Calbick, C. J. Davisson—764(A)
New method of measuring emission, C. G. Found—519
Radiation characteristics of oxide cathodes, W. T. Millis, E. F. Lowry—764(A)
From thoriated W, W. B. Nottingham—765(A)
Work function of thoriated W at zero field, N. B. Reynolds, W. B. Nottingham—765(A)
Work functions of Cb, H. B. Wahlin, L. O. Sordahl—764(A)
Work functions, slope and intercept of Richardson plots, J. A. Becker, W. H. Brattain—694

Thermionic emission of positive ions; emitting surfaces
Ch, H. B. Wahlin, L. O. Sordahl—886
Ionization of K on W wire, M. J. Copley, T. E. Phipps—344(L)
Velocity distribution of ions from W, G. J. Mueller—295(A), 314

Thermodynamics
Derivation of relations for simple system, A. N. Shaw—285(A)
Thermionic emission, J. A. Becker, W. H. Brattain—694

Thermoelectric effects
Of the alkalis, A. Sommerfeld—65(L)
Anomalous phenomena, E. Weber—740(A)

Vacuum tubes
For G-M counters, L. Fussell, Jr., T. H. Johnson—294(A)
Grid controlled Hg vapor rectifier, P. H. Craig—563(A)
Production of 1.1 cm electromagnetic waves, C. E. Cleeton, N. H. Williams—234
Tube with variable mu grid, W. Dehlinger—563(A)

Valence
Positions of electrons in C, W. P. Davey—763(A)

Vapor pressure
Of deuterium, F. G. Brickwedde, R. B. Scott, H. C. Urey, M. H. Wahl—565(A)
Of the H isotopes, change with time, R. B. Scott, F. G. Brickwedde, H. C. Urey, M. H. Wahl—762(A)

Wave mechanics (see **Mechanics, quantum, etc.**)

Wave motion
Elastic waves and motion of electrons in force fields, R. B. Lindsay—560(A)

Work function (see also **Thermionic emission of electrons; Photoelectric effect**)
Of W, ionization of K, A. L. Reimann—898(L)

X-rays, absorption
Deuterium, D. K. Froman—731(L)
Ionization of liquid CS_2, F. L. Mohler, L. S. Taylor—762(A)
L-absorption, Au to Bi, C. G. Patten—131(A), 662
L discontinuities of Bi, L. H. Carr—756(A)
By light elements, E. Dershem—768(A)
Secondary structure of K edges, G. P. Brewington—756(A)
Shape, wave-length and width of an x-ray absorption limit, F. K. Richtmyer, S. W. Barnes—754(A)
Of short monochromatic rays, T. M. Hahn—127(A)
Soft x-rays and the germination of wheat seeds, H. M. Benedict, H. Kersten—125(A)
Theoretical ratio of L_{II} and L_{III} absorption coefficients, M. Phillips—132(A)
By Xe, T. N. White—296(A)

X-rays, diffraction, scattering, reflection, refraction and polarization
Amorphous and crystalline scattering; crystal analysis; N. S. Gingrich, B. E. Warren—762(A)
Be for Mo $K\alpha$, effect of cold-work and annealing, J. E. Boyd—832
Composition of oxide-coated cathodes, W. P. Jesse—563(A)
Constant in Compton equation; experimental value, P. A. Ross, P. Kirkpatrick—134(A), 223(L)
Crystal perfection in relation to surface treatment, R. M. Bozorth, F. E. Haworth—821
Diffraction by benzene and cyclohexane, H. K. Ward—562(A)
Diffraction by ethyl ether, R. D. Spangler—756(A)
Diffraction, gases and liquids, N. S. Gingrich, B. E. Warren—292(A)
Diffraction in glasses, B. E. Warren—657
Diffraction pattern of vitreous SiO_2 and GeO_2, B. E. Warren—292(A)
Fourier series representation of scattering power in crystals, A. L. Patterson—763(A)
Klein-Nishina formula, test in 50–20 X.U. region, J. Read, C. C. Lauritsen—443
Multiple Laue spots, C. C. Murdock—117(L)
Rotation of plane of polarization, R. L. McFarlan—292(A)
Scattering coefficients for short wave-lengths, S. J. M. Allen—122(A)
Scattering from N_2, G. G. Harvey—848(L)
Stress analysis by diffraction, C. S. Barrett, M. Gensamer—563(A)

X-rays, emission (see also **X-rays, spectra and spectroscopy**)
Absolute x-ray intensities, G. L. Locher, D. P. LeGalley—292(A)
Characteristic rays from metals; extreme ultraviolet, H. M. O'Bryan, H. W. B. Skinner—293(A), 370
Efficiency of production of Ag $K\alpha$ x-rays, J. C. Clark—134(A)
Faint lines in *L* spectra, elements 73 to 90, S. Kaufman—385, 613
Fluorescence yields of L_{11} and L_{22} groups, B. E. Foster—130(A)
Fluorescence yields; 13 elements, D. K. Berkey—437
Forms of bands from metals; theory, H. Jones, N. F. Mott, H. W. B. Skinner—379
Intensities of *L*-series lines of Au, F. K. Richtmyer, S. W. Barnes—562(A)
Intensities in thick targets of Ni, L. T. Pockman, P. Kirkpatrick, D. L. Webster—131(A)
Intensity of satellites, atomic No. 47 to 52, F. R. Hirsh, Jr., F. K. Richtmyer—754(A)
Line shapes, L. P. Smith—295(A), 754(A)
Origin of K α-satellites, E. Ramberg—754(A)
Polarization of radiation from thick targets, Y. F. Cheng—131(A)
Probability of double jumps, E. G. Ramberg—389
Satellites of $L\beta 2$; intensities, A. W. Pearsall—562(A), S. Kaufman, F. K. Richtmyer—562(A)
Selection rules, S. K. Allison—755(A)
Widths of K lines from alloys, L. G. Parratt—364
Widths of lines and limits in *L* series of Au, S. W. Barnes—754(A)
Widths of *L*-series lines, J. H. Williams—71
Widths of x-ray bands in solids, J. Rehner, Jr.—735(L)

X-rays, spectra and spectroscopy, wave-length measurements (see also **X-rays, emission**)
Of Al and Mg, *L* spectrum, T. H. Osgood—753(A)
Crystal and grating wave-lengths, A. E. Ruark—827
Crystal wave-length measurements; determination of $h/e^{4/3}$, P. Kirkpatrick, P. A. Ross—135(A), 454
Double crystal spectrometer, L. P. Smith—295(A)
Filter method for measuring width of the Compton line, E. O. Wollan—755(A)

Line shapes by double crystal spectrometer, L. P. Smith —754(A)
Perfection of quartz crystals, F. E. Haworth, R. M. Bozorth—762(A)
Quadrupole lines in Ru *K* series, E. Wilhelmy—754(A)
Rocking curves by transmission through calcite, T. R. Cuykendall, S. W. Barnes—617
Th, *K* series, J. C. Hudson, H. G. Vogt, A. H. Armstrong—755(A)
Wave-lengths from crystals and ruled gratings, A. E. Ruark—744(A), 827

X-rays, tubes, apparatus
Commercial production of super-voltage tubes, C. A. Poole, W. S. Werner—756(A)
400 kilovolt tube for therapy, R. R. Newell, F. B. Duveneck, A. W. Hackney—135(A)
Shielded filament x-ray tube, E. Dershem—756(A)

Zeeman effect
Anomalies in He, L. E. Kinsler, W. V. Houston—134(A)
e/m from Cd and Zn lines, L. E. Kinsler, W. V. Houston —104, 134(A)